



لیست قیمت رسمی بهمن ۱۴۰۳


تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۰-۱۳۶۸۰۰۲



1

2

3

4

Dahua

DH-HAC-B1A21P-0280B

DH-HAC-B2A21P-0360B

DH-HAC-HFW1200CP-0280B-S5

DH-HAC-HFW1200CP-0360B-S5



Price (Rials)	۶,۷۱۰,۰۰۰	۸,۸۰۰,۰۰۰	۸,۵۸۰,۰۰۰	۸,۵۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.04Lux/F1.85	0.01Lux/F2.0	0.01Lux/F2.0
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	100°	93°	102°	83°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR,AWB, Switchable	Smart IR, HLC, BLC, 2D DNR,AWB, AGC, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1209CP-A-LED-0280B-S2

DH-HAC-HFW1239TP-A-LED-0360B-S2

DH-HAC-HFW1209TLMP-A-LED-0280B-S2



Price (Rials)	۱۱,۸۸۰,۰۰۰	۱۲,۷۶۰,۰۰۰	۱۵,۹۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	89.9°	108°	86°	106°
IR Range	Up to 80m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Aluminium	Plastic & Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	No	Yes
WDR	DWDR	DWDR	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart Light, HLC, BLC, Switchable, Built in Mic	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic	Smart Light, BLC, 2D NR, Switchable, Built in mic

9

10

11

12

Dahua

DH-HAC-T1A21P-0280B

DH-HAC-T2A21P-0280B

DH-HAC-HDW1200TLMQP-A-0280B-S5

DH-HAC-HDW1200TLMQP-A-0280B-S5



Price (Rials)	۷,۲۶۰,۰۰۰	۸,۸۰۰,۰۰۰	۱۰,۴۵۰,۰۰۰	۱۱,۲۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.01Lux/F2.0	0.02Lux/F1.9
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	100°	100°	102°	101°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Metal	Plastic & Metal
IP Standard	-	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable, Built-in mic

13

14

15

16

Dahua

DH-HAC-HDW1200TRQP-A-0280B-S5

DH-HAC-HDW1200CLQP-IL-A-0280B-KS6

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1209TQP-LED-0280B-S2



Price (Rials)	۱۰,۴۵۰,۰۰۰	۱۲,۱۰۰,۰۰۰	۱۱,۸۸۰,۰۰۰	۱۱,۵۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.01Lux/F2.0	0.02Lux/F1.9	0.01Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	101°	102°	101°	106°
IR Range	Up to 25m	Dual Light Up to 20m	Up to 50m	Full-color Up to 40m
Body Type	Plastic	Plastic	Metal	Plastic & Metal
IP Standard	IP50	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC,HLC, Switchable, 2D NR	Smart Light, BLC, HLC, 3D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC,2D DNR, Switchable, Built in mic	Smart Light, BLC,2D DNR, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B-S2

DH-HAC-HDW1209TQP-A-LED-0280B-S2

DH-HAC-HDW1209TLQP-LED-0280B-S2

DH-HAC-HFW1500CMP-0360B-S2



Price (Rials)	۱۳,۵۳۰,۰۰۰	۱۴,۳۰۰,۰۰۰	۱۱,۵۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.01Lux/F1.6	0.01Lux/F1.6	0.005Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	106°	106°	111°
IR Range	Starlight/Up to 20m	Full-color Up to 40m	Starlight/Up to 20m	Starlight/Up to 30m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, BLC, Switchable, 2D DNR	Smart Light, BLC, 2D DNR, Switchable, Built in Mic	Smart Light, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable

21

22

23

24

Dahua

DH-HAC-HFW1500CMP-IL-A-0280B-S2

DH-HAC-HFW1500DP-0360B-S2

DH-HAC-HFW1500TP-A-0360B-S2

DH-HAC-HFW1500TLMP-IL-A-0280B-S2




Price (Rials)	۱۷,۶۰۰,۰۰۰	۱۹,۰۳۰,۰۰۰	۱۶,۵۰۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2592×1944)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.05Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85	0.05Lux/F1.6
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	106°	92°	92°	88°
IR Range	Dual light Up to 20m	Starlight/Up to 80m	Starlight/Up to 30m	Dual light Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in MIC	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 2D NR, Switchable

25

26

27

28

Dahua

DH-HAC-HFW1509CP-LED-0280B-S2

DH-HAC-HFW1509TP-LED-0360B-S2

DH-HAC-HFW1509TP-A-LED-0360B-S2

DH-HAC-HFW1509TLMP-A-LED-0280B-S2



Price (Rials)	۱۶,۹۴۰,۰۰۰	۱۹,۵۸۰,۰۰۰	۲۰,۷۹۰,۰۰۰	۲۳,۱۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	112°	88°	88°	112°
IR Range	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No
WDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, HLC-Pro	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 3D NR, Switchable

29

30

31

32

Dahua

DH-HAC-HFW1509TLMP-A-LED-0360B-S2

DH-HAC-HFW1509TLMP-IL-A-0360B-S2

DH-HAC-HFW1509MHP-A-LED-0360B-S2

DH-HAC-HDW1500CLQP-IL-A-0280B-S2




Price (Rials)	۲۳,۱۰۰,۰۰۰	۲۴,۷۵۰,۰۰۰	۲۶,۹۵۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.05Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	88°	89°	88°	106°
IR Range	Full-color Up to 40m	Dual light Up to 40m	Full-color Up to 50m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	WDR 120db	WDR 120db	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable, Built-in MIC	Smart Light, HLC, BLC, 3D NR, Switchable, Built in Mic	Smart Light, BLC, HLC, 2D DNR, Switchable, Built in Mic

33

34

35

36

Dahua

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1500TRQP-A-0280B-S2

DH-HAC-HDW1500TLQP-A-0280B-S2

DH-HAC-HDW1500TLMP-IL-A-0280B-S2



	33	34	35	36
Price (Rials)	۱۷,۰۵۰,۰۰۰	۱۴,۸۵۰,۰۰۰	۱۶,۱۷۰,۰۰۰	۱۷,۶۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.005Lux/F1.6	0.01Lux/F1.6	0.05Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	111°	111°	111°	106°
IR Range	Starlight/Up to 30m	Starlight/Up to 25m	Starlight/Up to 30m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP50	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in mic

Dahua

DH-HAC-HDW1509TLQP-A-LED-0280B-S2



Price (Rials)	۱۹,۸۰۰,۰۰۰
Camera Type	Dome
Imaging Sensor	5 Megapixel
Resolution	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0
Lens	2.8 Fixed
Viewing Angle	112°
IR Range	Starlight/Up to 20m
Body Type	Plastic & Metal
IP Standard	IP67
OSD Menu	No
WDR	WDR 120db
Power Supply	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, Built-in mic

38

39

40

41

Dahua

DH-XVR1B04-I

DH-XVR5104HS-I3

DH-XVR5104HS-4KL-I3

DH-XVR1B08-I



Price (Rials)

۱۸,۷۰۰,۰۰۰

۳۳,۳۳۰,۰۰۰

۴۲,۹۰۰,۰۰۰

۲۲,۹۹۰,۰۰۰

XVR Type

4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP4 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP8 Ch. quadruple Hybrid
HD-CVI /AHD/ CVBS/TVI / IP

Analog Video Input

4 Ch. HDCVI/AHD/TVI
Up to 2MP4 Ch. HDCVI/AHD/TVI
Up to 5MP4 Ch. HDCVI/AHD/TVI
Up to 8MP8 Ch. HDCVI/AHD/TVI
Up to 2MP

IP Video Input

1 Ch. Up to 2MP

2 Ch. Up to 6MP

4 Ch. Up to 8MP

2 Ch. Up to 6MP

Audio Input/Output

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

1Ch. In / 1Ch. Out

Recording

2MP: 25/30FPS
720P: 25/30FPS5MP: 25FPS
4MP: 25/30FPS4K: 25/30FPS
5MP: 25FPS2MP: 25/30FPS
720P: 25/30FPS

Video Output

1 Port HDMI : 2MP
1 Port VGA: 2MP1 Port HDMI : 2MP
1 Port VGA: 2MP1 Port HDMI : 4K
1 Port VGA: 2MP1 Port HDMI : 2MP
1 Port VGA: 2MP

SATA Interface

1 HDD up to 6TB

1 HDD up to 16TB

1 HDD up to 16TB

1 HDD up to 6TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Cooper 1U

Compact 1U

Compact 1U

Cooper 1U

Other Features

H.265+/H.265/H.264+/H.264

AI Coding/H.265+/H.265/H.264+/H.264,
Wiz SenseAI Coding/H.265+/H.265/H.264+/H.264,
Wiz Sense

AI Codin/H.265+/H.265/H.264+/H.264

42

43

44

45

Dahua

DH-XVR5108HS-I3

DH-XVR5108HS-4KL-I3

DH-XVR5116HS-I3

DH-XVR1B16-I



Price (Rials)	۴۶,۷۵۰,۰۰۰	۷۸,۱۰۰,۰۰۰	۸۰,۸۵۰,۰۰۰	۴۱,۸۰۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4 Ch. Up to 6MP	8 Ch. Up to 4K	8 Ch. Up to 6MP	2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25FPS 4MP:25/30FPS	4K:25/30FPS 5MP: 25FPS	5MP: 25FPS 4MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI : 4k 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA: 2MP
SATA Interface	1 HDD up to 16TB	1 HDD up to 16TB	1 HDD up to 6TB	1 SSD up to 1TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Compact 1U	Compact 1U	Standalone 1U
Other Features	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression	H.265+/H.265 dual-stream video compression , Supports Full-channel AI-Coding

46

47

48

Dahua

DH-XVR5216AN-4KL-I3

DH-XVR5216AN-I3

DH-XVR5232AN-I3



Price (Rials)	۱۳۹,۷۰۰,۰۰۰	۹۵,۷۰۰,۰۰۰	۱۷۳,۸۰۰,۰۰۰
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 4K	16 Ch. HDCVI/AHD/TVI Up to 5MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16 Ch. Up to 8MP	8 Ch. Up to 6MP	16 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 5MP:25FPS	5MP: 25FPS 4MP:25/30FPS	5MP: 25FPS 4MP: 25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP 1 Port CVBS
SATA Interface	2 HDD up to 16TB	2 HDD up to 16TB	2 HDD up to 16TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	1U	Compact 1U
Other Features	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense



لیست قیمت رسمی بهمن ۱۴۰۳

تارتن دژ آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۰-۱۳۶۸۰۰۲



1

2

3

4

Dahua

DH-IPC-HFW123951P-LED-0280B-S5-QH2

DH-IPC-HFW2249SP-S-LED-0360B

DH-IPC-HDW1230SP-0280B-S5-QH2

DH-IPC-HDW1239T1P-LED-0280B-S5-QH2



Price (Rials)

۲۲,۰۰۰,۰۰۰

۳۴,۱۰۰,۰۰۰

۱۸,۴۸۰,۰۰۰

۲۲,۲۲۰,۰۰۰

Camera Type

Bullet

Bullet

Dome

Dome

Max Resolution

2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps

Sensor Size

1/2.8"

1/2.8"

1/2.8"

1/2.7"

Lens

2.8 Fixed

3.6 Fixed

2.8 Fixed

2.8 Fixed

Viewing Angle

106°

85°

102°

110°

Night Vision Distance

Full-color 10 M

Warmlight 30 M

IR 30M

Full-color 15M

Dynamic Range

DWDR

WDR 120db

DWDR

DWDR

Built in Mic

No

Yes

No

No

SD Card Support

No

Yes (Up to 256G)

No

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67

IP67

IP67

IP67

Other Features

3D NR, HLC, BLC, digital watermarking,
ROI, Motion detection3D NR, HLC, BLC, ROI, Intelligent
detection: Intrusion, tripwire, Wiz Sense

3D NR, HLC, BLC, digital watermarking, ROI 3D NR, HLC, BLC, digital watermarking, ROI

5

6

7

8

Dahua

DH-IPC-HDW1239T1P-A-LED-0280B-S5-QH2

DH-IPC-HDBW2230EP-S-0280B-S2-QH3

DH-IPC-HDW2241TP-S-0280B

DH-IPC-HDW2249TP-S-LED-0280B




Price (Rials)

۲۵,۳۰۰,۰۰۰

۲۶,۹۵۰,۰۰۰

۲۹,۷۰۰,۰۰۰

۳۲,۴۵۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Max Resolution

2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps2MP(1920×1080)
@25/30fps

Sensor Size

1/2.7"

1/2.8"

1/2.8"

1/2.8"

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

2.8 Fixed

Viewing Angle

110°

108°

107°

106°

Night Vision Distance

Full-color 10M

Starlight/ IR 30M

IR 30 M

Full-color 30 M

Dynamic Range

DWDR

DWDR

WDR 120db

WDR 120db

Built in Mic

No

No

Yes

Yes

SD Card Support

No

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264/H.265

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67

IP67,IK10

IP67

IP67

Other Features

3D NR, HLC, BLC, digital watermarking, ROI

3D NR, HLC, BLC, digital watermarking, ROI

3D NR, HLC, BLC, ROI, Motion detection,
video tampering3D NR, HLC, BLC, ROI, Motion detection,
video tampering

9

10

11

12

Dahua

DH-IPC-HFW1431SP-0280B-S4

DH-IPC-HFW2449SP-S-IL-0280B

DH-IPC-HFW2441SP-S-0280B

DH-IPC-HFW3449EP-AS-LED-0280B




Price (Rials)	۲۹,۱۵۰,۰۰۰	۴۰,۱۵۰,۰۰۰	۳۵,۵۳۰,۰۰۰	۵۷,۲۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps
Sensor Size	1/3"	1/2.9"	1/2.9"	1/2.7"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	93°	102°	95°	103°
Night Vision Distance	IR 30M	Warm light 30M	IR 30 M	Full-color 30M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI, Intelligent monitoring, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI, Wiz Sense

13

14

15

16

Dahua

DH-IPC-HFW1431S1P-0280B-S4

DH-IPC-HFW1430SP-A-0280B-S5

DH-IPC-HFW1431S1P-A-0360B-S4

DH-IPC-HFW2441TP-AS-0360B



Price (Rials)

۲۸,۶۰۰,۰۰۰

۳۰,۹۱۰,۰۰۰

۳۰,۱۴۰,۰۰۰

۴۵,۶۵۰,۰۰۰

Camera Type

Bullet

Bullet

Bullet

Bullet

Max Resolution

4MP(2560×1440)
@25/30fps4MP(2560×1440)
@25/30fps4MP(2560×1440)
@25/30fps4MP(2688×1520)
@25/30fps

Sensor Size

1/3"

1/3"

1/2.7"

1/2.9"

Lens

2.8 Fixed

2.8 Fixed

3.6 Fixed

3.6 Fixed

Viewing Angle

93°

90°

88°

84°

Night Vision Distance

IR 30 M

IR 30 M

IR 30 M

IR 80 M

Dynamic Range

WDR 120db

DWDR

WDR 120db

WDR 120db

Built in Mic

No

Yes

Yes

Yes

SD Card Support

No

No

No

Yes (Up to 256G)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67

IP67

IP67

IP67, IK10

Other Features

3D NR, HLC, BLC, digital watermarking, ROI 3D NR, HLC, BLC, digital watermarking, ROI 3D NR, HLC, BLC, digital watermarking, ROI

3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense

17

18

19

20

Dahua

DH-IPC-HFW2449TP-AS-IL-0360B

DH-IPC-HFW2441TP-ZS-27135

DH-IPC-HDBW1431EP-0280B-S4

DH-IPC-HDW1431T1P-0280B-S4




Price (Rials)

۵۰,۳۸۰,۰۰۰

۶۹,۳۰۰,۰۰۰

۲۹,۷۰۰,۰۰۰

۲۹,۱۵۰,۰۰۰

Camera Type

Bullet

Bullet

Dome

Dome

Max Resolution

4MP(2688×1520)
@25/30fps4MP(2688×1520)
@20fps4MP(2560×1440)
@25/30fps4MP(2560×1440)
@25/30fps

Sensor Size

1/2.9"

1/2.9"

1/3.4"

1/3"

Lens

3.6 Fixed

Motorized (2.7–13.5 mm)

2.8 Fixed

2.8 Fixed

Viewing Angle

84°

104°-29°

108°

93°

Night Vision Distance

Warmlight/ IR 60 M

IR 60 M

IR 30M

IR 30M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

WDR 120db

Built in Mic

Yes

Yes

No

No

SD Card Support

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

No

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67, IK10

IP67, IK10

IP67,IK10

IP67

Other Features

3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense

3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense

3D NR, HLC, BLC, digital watermarking, ROI 3D NR, HLC, BLC, digital watermarking, ROI

21

22

23

24

Dahua

DH-IPC-HDW1431T1P-A-0280B-S4

DH-IPC-HDW1431SP-0280B-S4

DH-IPC-HDBW2441EP-S-0280B

DH-IPC-HDBW3441EP-AS-0280B-S2




Price (Rials)

۳۳,۰۰۰,۰۰۰

۲۹,۷۰۰,۰۰۰

۳۵,۵۳۰,۰۰۰

۵۳,۹۰۰,۰۰۰

Camera Type

Dome

Dome

Dome

Dome

Max Resolution

4MP(2560×1440)
@25/30fps4MP(2688×1520)
@25/30fps4MP(2688×1520)
@20fps4MP(2688×1520)
@25/30fps

Sensor Size

1/2.7"

1/3"

1/2.9"

1/2.9"

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

2.8 Fixed

Viewing Angle

104°

93°

102°

107°

Night Vision Distance

Starlight/ IR 30M

IR 30M

IR 30 M

IR 50 M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

WDR 120db

Built in Mic

Yes

No

Yes

Yes

SD Card Support

No

No

Yes (Up to 256G)

Yes (Up to 256G)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

H.265+/H.265/H.264+/H.264

H.265+/H.265/H.264+/H.264

Protection

IP67

IP67

IP67, IK10

IP67, IK10

Other Features

3D NR, HLC, BLC, digital watermarking, ROI

3D NR, HLC, BLC, digital watermarking, ROI

3D NR, HLC, BLC, Wiz Sense

3D NR, HLC, BLC, Wiz Sense

25

26

27

28

Dahua

DH-IPC-HDW3449TMP-AS-LED-0280B

DH-IPC-HDW2441TMP-S-0280B

DH-IPC-HDW2449TP-S-IL-0280B

DH-IPC-HDW4441EMP-S-0280B




Price (Rials)	۴۸,۱۸۰,۰۰۰	۴۰,۱۵۰,۰۰۰	۴۰,۳۷۰,۰۰۰	۶۳,۵۸۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/2.7"	1/2.9"	1/2.9"	1/3"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	103°	95°	95°	104°
Night Vision Distance	Full-color 30M	IR 30M	Warmlight/ IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, ROI, AWB, AGC, Multiple network monitoring

29

30

31

32

Dahua

DH-IPC-HDW1430TP-A-0280B-S5

DH-IPC-HDW2441TP-S-0280B

DH-IPC-HDW3441EMP-S-0280B-S2

DH-IPC-HFW2541SP-S-0280B-S2




Price (Rials)

۳۱,۰۲۰,۰۰۰

۳۵,۵۳۰,۰۰۰

۴۷,۰۸۰,۰۰۰

۴۶,۲۰۰,۰۰۰

Camera Type

Dome

Dome

Dome

Bullet

Max Resolution

4MP(2560×1440)
@25/30fps4MP(2688×1520)
@20fps4MP(2688×1520)
@25/30fps5MP(2960×1668)
@20fps

Sensor Size

1/3"

1/2.9"

1/2.9"

1/2.7"

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

2.8 Fixed

Viewing Angle

90°

95°

102°

111°

Night Vision Distance

IR 30 M

IR 30 M

IR 50 M

IR 30 M

Dynamic Range

DWDR

WDR 120db

WDR 120db

WDR 120db

Built in Mic

Yes

Yes

Yes

Yes

SD Card Support

No

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67

IP67

IP67

IP67

Other Features

3D NR, HLC, BLC, ROI, Motion detection,
video tampering3D NR, HLC, BLC, ROI, Motion detection,
video tampering3D NR, HLC, BLC, ROI, Motion detection,
video tampering3D NR, HLC, BLC, digital watermarking,
ROI, Motion detection, Wiz Sense

33

34

35

36

Dahua

DH-IPC-HFW2541EP-S-0280B

DH-IPC-HDW2541TP-S-0280B-S2

DH-IPC-HFW2841SP-S-0280B

DH-IPC-HFW2849SP-S-IL-0280B




Price (Rials)

۵۵,۳۳۰,۰۰۰

۴۷,۳۰۰,۰۰۰

۵۳,۹۰۰,۰۰۰

۶۱,۶۰۰,۰۰۰

Camera Type

Bullet

Dome

Bullet

Bullet

Max Resolution

5MP(2592×1944)
@20fps5MP(2592×1944)
@20fps8MP(3840×2160)
@20fps8MP(3840×2160)
@20fps

Sensor Size

1/2.7"

1/2.7"

1/2.7"

1/2.7"

Lens

2.8 Fixed

2.8 Fixed

2.8 Fixed

2.8 Fixed

Viewing Angle

97°

97°

106°

111°

Night Vision Distance

IR 30 M

IR 30 M

IR 30 M

Warmlight/IR 30 M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

WDR 120db

Built in Mic

Yes

Yes

Yes

Yes

SD Card Support

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 256G)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

SMART H.264+/H.265+

Protection

IP67

IP67

IP67

IP67

Other Features

3D NR, HLC, BLC, ROI, Intelligent detection:
Intrusion, tripwire, Wiz Sense3D NR, HLC, BLC, ROI, Motion detection,
video tampering, built in 1-channel MIC,
Wiz Sense3D NR, HLC, BLC, digital watermarking,
ROI, Motion detection, Wiz Sense3D NR, HLC, BLC, ROI, Intelligent
detection: Intrusion, tripwire, Wiz Sense

37

38

39

40

Dahua

DH-IPC-HFW2841TP-ZS-27135

DH-IPC-HFW5842HP-ZHE-2712F-
DC12AC24V-ATC-S3

DH-IPC-HDW2849TP-S-IL-0280B

DH-IPC-HDBW5842HP-ZHE-2712F-
DC12AC24V-ATC-S3

Price (Rials)

۸۸,۰۰۰,۰۰۰

۱۸۰,۴۰۰,۰۰۰

۶۲,۱۵۰,۰۰۰

۱۸۱,۵۰۰,۰۰۰

Camera Type

Bullet

Bullet

Dome

Dome

Max Resolution

8MP(3840×2160)
@20fps8MP(3840×2160)
@25/30fps8MP(3840×2160)
@20fps8MP(3840×2160)
@25/30fps

Sensor Size

1/2.7"

1/1.8"

1/2.7"

1/1.8"

Lens

Motorized (2.7–13.5 mm)

Motorized (2.7–12 mm)

2.8 Fixed

Motorized (2.7–12 mm)

Viewing Angle

113°-31°

112°-48°

111°

114°-48°

Night Vision Distance

IR 60 M

IR 60 M

Warmlight/ IR 30 M

IR 40 M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

WDR 120db

Built in Mic

Yes

Yes

Yes

Yes

SD Card Support

Yes (Up to 256G)

Yes (Up to 1TB)

Yes (Up to 256G)

Yes (Up to 1TB)

Power Supply

12V DC or POE

12V DC or POE

12V DC or POE

12V DC or POE

Video Compression

SMART H.264+/H.265+

Smart H.265+/H.264+/ AI

SMART H.264+/H.265+

Smart H.265+/H.264+/ AI

Protection

IP67, IK10

IP67, IK10

IP67

IP67, IK10

Other Features

3D NR, HLC, BLC, ROI, Intelligent detection:
Intrusion, tripwire, Wiz Sense3D NR, HLC, BLC, dual Mic, smart
sound detection, IVS, face detection,
smart object detection, Wiz Sense3D NR, HLC, BLC, ROI, Intelligent detection:
Intrusion, tripwire, Wiz Sense3D NR, HLC, BLC, dual Mic, smart
sound detection, IVS, face detection,
smart object detection, Wiz Sense

41

42

43

Dahua

DH-SD5A432GB-HNR

DH-SD49225GB-HNR

DH-SD5A445GB-HNR



Price (Rials)

۳۳۰,۰۰۰,۰۰۰

۱۷۰,۵۰۰,۰۰۰

۴۷۳,۰۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

Max Resolution

4MP(2560×1440)
@25/30fps2MP(1920×1080)
@25/30fps4MP(2560×1440)
@25/30fps

Sensor Size

1/2.8"

1/2.8"

1/2.8"

Lens

4.8 mm–154 mm

4.8mm–120 mm

3.95 mm–177.75 mm

Optical zoom

32x

25x

45x

Night Vision Distance

Starlight/IR 150 M

Starlight/IR 100 M

Starlight/IR 150 M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

Built in Mic

No

No

No

SD Card Support

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Power Supply

24V DC or POE

12 VDC or POE

24V DC or POE

Video Compression

Smart H.265+; H.265; Smart H.264+

Smart H.265+; H.265; Smart H.264+

Smart H.265+; H.265; Smart H.264+

Protection

IP67/IK10

IP66

IP67/IK10

Other Features

Defog, RoI,2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Auto Tracking, Face Detection, PoE+

Defog, RoI,2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Face Detection, Perimeter protection

Defog, RoI,2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Auto Tracking, Face Detection, Perimeter protection

44

45

46

47

Dahua

DHI-NVR2104HS-I2

DHI-NVR4104HS-4KS3

DHI-NVR1104HS-S3/H(V2.0)

DHI-NVR4104HS-4KS2/L



Price (Rials)

۴۲,۱۳۰,۰۰۰

۴۴,۷۷۰,۰۰۰

۲۵,۸۵۰,۰۰۰

۴۴,۰۰۰,۰۰۰

NVR Type

4 Ch

4 Ch

4 Ch

4 Ch

Input BandWidth

80Mbps

80Mbps

80Mbps

80Mbps

Output Bandwidth

60Mbps

60Mbps

60Mbps

60Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 12MP

Upto 12MP

Upto 8Mp

Upto 8Mp

Video Output

1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 2MP
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P

POE Ports

-

-

-

-

SATA Interface

1 HDD up to 10TB

1 HDD up to 20TB

1 HDD up to 8TB

1 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

1 RJ45 100M

Chassis

Compact 1U

Compact 1U

Compact 1U

Compact 1U

Other Features

Smart H.265+/H.265/Smart H.264+/H.264,
Wiz SenseSmart H.265+/H.265/Smart H.264+/H.264,
SMD Plus

Smart H.265+/H.265/Smart H.264+/H.264

Smart H.265+/ Smart H.264+/ H.265/
H.264/

48

49

50

51

Dahua

DHI-NVR2108HS-I2

DHI-NVR4108HS-4KS3

DHI-NVR4108HS-EI

DHI-NVR4108HS-4KS2/L



Price (Rials)	۴۸,۴۰۰,۰۰۰	۴۸,۹۵۰,۰۰۰	۶۴,۳۵۰,۰۰۰	۴۸,۴۰۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12MP	Upto 16MP	Upto 8MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 20TB	1 HDD up to 16TB	1 HDD up to 10TB
Network Interface	2 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Compact 1U	Compact 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense	Smart H.265+/H.265/Smart H.264+/H.264, SMD Plus	Smart H.265+/H.265/Smart H.264+/H.264, SMD Plus	Smart H.265/H.265/Smart H.264/H.264/MJPEG, SMD Plus by Camera

52

53

54

55

Dahua

DHI-NVR4108HS-8P-4KS2/L

DHI-NVR1108HS-S3/H(V2.0)

DHI-NVR5216-EI

DHI-NVR2116HS-I2



Price (Rials)

۸۱,۴۰۰,۰۰۰

۳۰,۸۰۰,۰۰۰

۱۴۳,۰۰۰,۰۰۰

۵۸,۳۰۰,۰۰۰

NVR Type

8 Ch

8 Ch

16 Ch

16 Ch

Input BandWidth

80Mbps

80Mbps

384Mbps

144Mbps

Output Bandwidth

60Mbps

60Mbps

384Mbps

72Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8MP

Upto 8MP

Upto 32MP

Upto 12MP

Video Output

1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 2MP
1 Port VGA1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4K
1 Port VGA

POE Ports

8 POE Ports

-

-

-

SATA Interface

1 HDD up to 10TB

1 HDD up to 8TB

2 HDD up to 20TB

1 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 100M

1 RJ45 1000M

1 RJ45 1000M

Chassis

Compact 1U

Compact 1U

1U

Compact 1U

Other Features

Smart H.265/H.265/Smart
H.264/H.264/MJPEG, SMD Plus by Camera

Smart H.265+/Smart H.264+/H.265/H.264

Smart H.265+/H.265/Smart H.264+/H.264,
Wiz SenseSmart H.265+/H.265/Smart H.264+/H.264,
Wiz Sense

56

57

58

59

Dahua

DHI-NVR4216-EI

DHI-NVR4116HS-4KS3

DHI-NVR4216-4KS3

DHI-NVR2216-I2



Price (Rials)	۹۱,۸۵۰,۰۰۰	۶۲,۷۰۰,۰۰۰	۷۴,۵۸۰,۰۰۰	۷۰,۹۵۰,۰۰۰
NVR Type	16 Ch	16 Ch	16 Ch	16 Ch
Input BandWidth	256Mbps	160Mbps	160Mbps	144Mbps
Output Bandwidth	256Mbps	80Mbps	80Mbps	72Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 16MP	Upto 12MP	Upto 12MP	Upto 12MP
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 16TB	1 HDD up to 20TB	2 HDD up to 20TB	2 HDD up to 10TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	1U	Compact 1U	1U	1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense	Smart H.265/H.265/Smart H.264/H.264/MJPEG, SMD Plus	Smart H.265/H.265/Smart H.264/H.264/MJPEG, SMD Plus	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense

60

61

62

63

Dahua

DHI-NVR4232-EI

DHI-NVR5232-EI

DHI-NVR5432-EI

DHI-NVR608H-32-XI



Price (Rials)

۱۱۴,۴۰۰,۰۰۰

۱۷۴,۹۰۰,۰۰۰

۲۴۹,۷۰۰,۰۰۰

۵۲۸,۰۰۰,۰۰۰

NVR Type

32 Ch

32 Ch

32 Ch

32 Ch

Input BandWidth

256Mbps

384Mbps

384Mbps

1280Mbps

Output Bandwidth

256Mbps

384Mbps

384Mbps

1024Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 16MP

Upto 32MP

Upto 32MP

Upto 32MP

Video Output

1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4k
1 Port VGA2 Port HDMI : 4k
1 Port VGA4 Port HDMI : 4k/8K/2MP
2 Port VGA : 1080p

POE Ports

-

-

-

-

SATA Interface

2 HDD up to 16TB

2 HDD up to 20TB

4 HDD up to 20TB

8 HDD up to 20TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

2 RJ45 1000M

2 RJ45 2500M

Chassis

1U

1U

1.5U

2U

Other Features

Smart H.265/H.265/Smart
H.264/H.264/MJPEG, Wiz SenseSmart H.265/H.265/Smart
H.264/H.264/MJPEG, Wiz SenseSmart H.265/H.265/Smart
H.264/H.264/MJPEG, Wiz SenseH.265/H.264/MJPEG, Support Smart
Tracking and Intelligent Video, Wiz Mind

64

65

66

Dahua

DHI-NVR5464-EI

DHI-NVR608H-64-XI

DHI-NVR608H-128-XI



Price (Rials)	۲۳۰,۰۰۰,۰۰۰	۷۳۷,۰۰۰,۰۰۰	۱,۰۸۹,۰۰۰,۰۰۰
NVR Type	64 Ch	64 Ch	128 Ch
Input BandWidth	384Mbps	1280Mbps	1280Mbps
Output Bandwidth	384Mbps	1024Mbps	1024Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 32MP	Upto 32MP	Upto 32MP
Video Output	2 Port HDMI : 4k 2 Port VGA	4 Port HDMI : 4k/8K/2MP 2 Port VGA : 1080p	4 Port HDMI : 4k/8K/2MP 2 Port VGA : 1080p
POE Ports	-	-	-
SATA Interface	4 HDD up to 20TB	8 HDD up to 20TB	8 HDD up to 20TB
Network Interface	2 RJ45 1000M	2 RJ45 2500M	2 RJ45 2500M
Chassis	1.5U	2U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense	Supports Smart H.265+, H.265, Smart H.264+, Support Smart Tracking and Intelligent Video, Wiz Mind	Supports Smart H.265+, H.265, Smart H.264+, Support Smart Tracking and Intelligent Video, Wiz Mind