

لیست قیمت زمستان ۱۴۰۳ هایک ویژن



تارتون دز آریانا

نمایندگی مرکزی محصولات هایک ویژن

۰۲۱-۸۸۵۰۰۰۲۰

	1	2	3	4	5	6
Part Number	DS-2CE16D0T-ITF	DS-2CE16D0T-ITFS	DS-2CE16D0T-ITFS	DS-2CE16D3T-IT3F	DS-2CE17D0T-IT3F	DS-2CE10DF0T-F
						
تارتن دز آریابات CCTV AND SECURITY SYSTEMS						
Price (Rials)	23,430,000	29,080,000	28,730,000	36,700,000	38,230,000	53,030,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Signal System	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG
Lens	3.6mm Fixed	2.8mm Fixed	3.6mm Fixed	2.8mm Fixed	2.8mm Fixed	2.8/3.6mm Fixed
Viewing Angle	79.6°	106.4°	79.6°	106°	106.4°	98°/76°
IR Range	Up to 30m (Exir)	Up to 30m (Exir)	Up to 30m (Exir)	Up to 50m (Exir)	Up to 40m	Up to 20m (ColorVu)
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
WDR	DWDR	DWDR	DWDR	Yes (120db)	DWDR	DWDR
Other Features	Smart IR, HLC, DNR, BLC, 2D DNR, Switchable	HLC,2D DNR, BLC, Switchable, Built-in microphone	HLC,2D DNR, BLC, Switchable, Built-in microphone	3D DNR,HLC, BLC, Switchable	HLC, BLC, AGC, Switchable	HLC, BLC, AGC, Switchable
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

	7	8	9	10	11	12
Part Number	DS-2CE10DF3T-FS	DS-2CE12DF3T-F	DS-2CE12DF3T-FS	DS-2CE76D0T-ITMF	DS-2CE76D0T-ITMFS	DS-2CE76D3T-ITMF
						
Price (Rials)	56,240,000	55,240,000	63,260,000	26,800,000	31,050,000	39,360,000
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Signal System	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG
Lens	2.8mm Fixed	3.6mm Fixed	2.8mm Fixed	2.8mm Fixed	2.8mm Fixed	2.8mm Fixed
Viewing Angle	98°	83°	98°	101°	106.4°	106°
IR Range	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 40m (ColorVu)	Up to 30m (Exir)	Up to 30m (Exir)	Up to 30m(Exir)
IP Standard	IP67	IP67	IP67	IP67	IP67	IP67
WDR	Yes (130db)	Yes (130db)	Yes (130db)	DWDR	DWDR	Yes (120db)
Other Features	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	HLC, BLC, Smart IR, Switchable, 3D DNR	HLC, BLC, Smart IR, Switchable, 3D DNR, Built in mic	Smart IR, ICR, HLC,BLC, 2D DNR, Switchable	ICR,AGC, Switchable, Built in mic	Smart IR, HLC,BLC, Switchable, 3D DNR
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

	13	14	15	16	17	18
Part Number	DS-2CE56D0T-VFIR3F	DS-2CE70DF3T-PF	DS-2CE72DF3T-F	DS-2CE16H0T-ITPFS	DS-2CE17H0T-IT3F	DS-2CE17H0T-IT3FS
						
Price (Rials)	53,210,000	39,180,000	41,940,000	27,000,000	39,780,000	49,170,000
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	5MP (2592*1944)	5MP (2560*1944)	5MP (2560*1944)
Signal System	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG
Lens	2.8 - 12mm VariFocal	3.6mm Fixed	3.6mm Fixed	3.6mm Fixed	3.6mm Fixed	2.8mm Fixed
Viewing Angle	105° - 32°	77°	77°	80.1°	80°	85°
IR Range	Up to 40m	Up to 20m (ColorVu)	Up to 40m (ColorVu)	Up to 25m (Exir)	Up to 40m	Up to 40m
IP Standard	IP66	IP66	IP67	IP67	IP67	IP67
WDR	DWDR	Yes (130db)	Yes (130db)	DWDR	DWDR	DWDR
Other Features	Smart IR, ICR, AGC, Switchable	AGC, Switchable, 3D DNR	AGC, Switchable, 3D DNR	Smart IR, HLC,BLC,AGC, 2D DNR, Switchable, Built in Mic	Smart IR, 2D DNR, HLC,BLC, Switchable	Smart IR, 2D DNR, HLC,BLC, Switchable, Built in mic
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

19

20

21

22

23

Part Number	DS-2CE76H0T-ITMF	DS-2CE78H0T-IT1F	DS-2CE79H0T-IT3ZF	DS-2CE78U8T-IT3	DS-2AE4225TI-D
 تارتان درز آریان CCTV AND SECURITY SYSTEMS					
Price (Rials)	35,380,000	39,380,000	75,570,000	100,400,000	297,970,000
Camera Type	Dome	Dome	Dome	Dome	PTZ
Resolution	5MP (2560*1944)	5MP (2560*1944)	5MP (2560*1944)	8MP (3840*2160)	1920 × 1080
Signal System	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HDTVI,AHD, HDCVI,ANLOG	HD-TVI	HD-TVI
Lens	2.8mm Fixed	2.4 mm Fixed	2.7-13.5mm Motorized	2.8/3.6/6mm Fixed	4.8 mm-120mm
Viewing Angle	85°	110°	95°-26°	102.2°/.79°/50.8°	25x Optical Zoom
IR Range	Up to 30m (Exir)	Up to 30m (Exir)	Up to 40m	Up to 60m (Exir)	Up to 100m
IP Standard	IP67	IP67	IP67	IP67	IP66
WDR	DWDR	DWDR	DWDR	Yes (120db)	Yes (120db)
Other Features	Smart IR, ICR, AGC, BLC, Switchable	Smart IR, ICR, AGC, BLC,HLC, Switchable	Smart IR, 2D DNR, Switchable, AGC	Smart IR, ICR	Smart IR, ICR, Switchable, DarkFighter
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

24

25

26

27

28

29

Part Number	DS-7216HGHI-K1	IDS-7204HQHI-M1/S	DS-7208HQHI-M1/XT	DS-7216HQHI-M1/S	DS-7216HQHI-M1/E	DS-7216HQHI-M1/XT
						
Price (Rials)	83,080,000	74,640,000	102,490,000	135,000,000	167,470,000	187,980,000
DVR Type	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4+1 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+8 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	16 Ch. HDTV/Analog Up to 2MP	4 Ch. HDTV/Analog Up to 4MP	8 Ch. HDTV/Analog Up to 3K	16 Ch. HDTV/Analog Up to 4MP	16 Ch. HDTV/Analog Up to 3K	16 Ch. HDTV/Analog Up to 3K
IP Video Input	2 Ch. Up to 5MP	1 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	8 Ch. Up to 6MP
Audio In/Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Video Output	1 Port HDMI : 1080P 1 Port VGA	1 Port HDMI 1080P 1 Port VGA	1 Port HDMI 1080P 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 12TB
Other Features	H.265/H.265 pro+ Compression, ONVIF, Deep learning	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265 pro+ Compression, ONVIF	H.265/H.265 pro+ Compression, ONVIF, Smart Search	H.265/H.265 pro+ Compression, ONVIF	H.265/H.265 pro+ Compression, ONVIF
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول



تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک 1

021-88500020

	30	31	32	33	34	35
Part Number	DS-7216HQHI-M2/XT	IDS-7216HQHI-M2/S	iDS-7232HQHI-M2/S	DS-7204HUHI-K1	DS-7204HUHI-K1/P	DS-7204HUHI-M1/S
						
Price (Rials)	218,250,000	246,360,000	384,450,000	108,050,000	102,520,000	113,840,000
DVR Type	16+8 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	32+2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 +2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 +4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	16 Ch. HDTV/Analog Up to 3K	16 Ch. HDTV/Analog Up to 4MP	32 Ch. HDTV/Analog Up to 4MP	Support Up to 5MP resolution recording	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
IP Video Input	8 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 6MP	2 Ch. Up to 8MP	4 Ch. Up to 8MP	2 Ch. Up to 8MP
Audio In/Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 2K 1 Port VGA	1 Port HDMI : 2K 1 Port VGA	1 Port HDMI : 2K 1 Port VGA
SATA Interface	2 HDD up to 12TB	2 HDD up to 10TB	2 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB	1 HDD up to 10TB
Other Features	H.265/H.265+ Compression, ONVIF	H.265/H.265+ Compression, ONVIF, Smart Search	H.265/H.265+ Compression, ONVIF, VCA, Smart Search	H.265/H.265+ COMPR Alarm In/Out : 4/1 Onvif, VCA	H.265/H.265+ COMPR Alarm In/Out : 4/1 Built-in PoC	H.265/H.265+ COMPR Alarm In/Out : N/A
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول



تهران- خیابان شهروردي- بالاتر از خیابان هويزه کوچه سرد پلاک 1

021-88500020

36

37

38

39

40

Part Number	DS-7204HUHI-M1/E	DS-7208HUHI-M1/S	DS-7216HUHI-K2	IDS-7216HUHI-M2/S	IDS-7208HTHI-M2/S
 تارتون دی‌جی‌آریا					
Price (Rials)	91,700,000	198,860,000	349,010,000	369,360,000	285,910,000
DVR Type	4 + 2 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	8 + 4 Ch. quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+16Ch.quadruple Hybrid HD-TVI /AHD/ Analog / IP	16+8 Ch.quadruple Hybrid HD-TVI /AHD/ Analog / IP	8+8 Ch.quadruple Hybrid HD-TVI /AHD/ Analog / IP
Analog Video Input	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording	Support Up to 8MP resolution recording
IP Video Input	2 Ch. Up to 8MP	4 Ch. Up to 8MP	16 Ch. Up to 8MP	8 Ch. Up to 8MP	8 Ch. Up to 8MP
Audio In/Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	4Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Video Output	1 Port HDMI : 2K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
SATA Interface	1 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Other Features	H.265 Pro+/H.265 Pro, Onvif	H.265 Pro+/H.265 Pro, Onvif	H.265/H.265+ COMPR Alarm In/Out : 16/4	H.265/H.265+ COMPR Alarm In/Out : N/A	H.265/H.265+ COMPR Alarm In/Out : N/A
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول



تهران- خیابان شهروردي- بالاتر از خیابان هويزه کوچه سرمهد پلاک 1

021-88500020


لیست قیمت زمستان ۱۴۰۳ هایک ویژن



تارتون دز آریانا

نمایندگی مرکزی محصولات هایک ویژن

۰۲۱-۸۸۵۰۰۰۲۰

	1	2	3	4	5	6
Part Number	DS-2CD1023G0E-I	DS-2CD1023G2-LIU	DS-2CD1043G0-I	DS-2CD1043G2-LIU	DS-2CD1067G2H-LIU	DS-2CD1123G0E-I
						
Price (Rials)	35,000,000	39,240,000	58,500,000	63,880,000	79,550,000	35,500,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Dome
Resolution	2MP (1920x1080)	2MP (1920x1080)	4MP (2560×1440)	4MP (2560×1440)	6MP (3200×1800)	2MP (1920x1080)
Lens	2.8 mm Fixed	2.8 mm Fixed	2.8 mm Fixed	2.8 mm Fixed	2.8/4 mm Fixed	2.8 mm Fixed
Viewing Angle	112.1°	103°	98.0°	98.0°	115°/94°	112°
IR Range	Up to 30m	Up to 30m (Color)	Up to 30m	Up to 30m (Color)	Up to 30m (Color)Vu	Up to 30m
SD Card	No	No	No	No	No	No
Microphone	No	Yes (Built in MIC)	No	Yes (Built in MIC)	Yes (Built in MIC)	No
WDR	DWDR	DWDR	Yes (120db)	Yes (120db)	Yes (120db)	DWDR
Other Features	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP,PIR	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, H.265+ COMP
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول



تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک 1

۰۲۱-۸۸۵۰۰۰۲۰

	7	8	9	10	11	12
Part Number	DS-2CD1143G0E-I	DS-2CD1123G2-LIU	DS-2CD1143G2-LIU	DS-2CD1163G2-LIU	DS-2CD1357G0-L	DS-2CD2023G2-I
						
Price (Rials)	59,000,000	39,240,000	64,890,000	73,580,000	101,480,000	84,410,000
Camera Type	Dome	Dome	Dome	Dome	Dome	Bullet
Resolution	4MP (2560×1440)	2MP (1920×1080)	4MP (2560×1440)	6MP (3200×1800)	5MP (2560x1920)	2MP (1920×1080)
Lens	2.8 mm Fixed	2.8 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8/4 mm Fixed	2.8 mm Fixed
Viewing Angle	100°	103°	98°/78°	105°/78°	95°/76°	107°
IR Range	Up to 30m	Up to 30m (Color)	Up to 30m (Color)	Up to 30m (Color)	Up to 30m (Color Vu)	Up to 40m
SD Card	No	No	No	No	No	Yes (Up to 512 G)
Microphone	No	Yes (Built in MIC)	Yes (Built in MIC)	Yes (Built in MIC)	No	No
WDR	DWDR	DWDR	Yes (120db)	Yes (120db)	Yes (120db)	Yes (120db)
Other Features	3D DNR, BLC, ROI, VCA, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, ROI, H.265+ COMP	3D DNR, BLC, HLC, H.265+ COMP
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول



تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

13

14

15

16

17

18

Part Number

DS-2CD2025FHWD-I

DS-2CD2043G2-LI

DS-2CD2046G2-I

DS-2CD3061G2-LIUF

DS-2CD2083G2-LI2U

DS-2CD2085G1-I

تارتان دیزآریات
CCTV AND SECURITY SYSTEMS

Price (Rials)

98,160,000

104,520,000

107,740,000

72,280,000

118,670,000

150,800,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

2MP (1920x1080)

4MP (2688×1520)

4MP (2688×1520)

6MP (3200×1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

4 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

2.8/4 mm Fixed

Viewing Angle

86.4°

104°/84°

103°

105°/78°

108°/88°

102°/78°

IR Range

Up to 30m

Up to 40m (Color)

Up to 40m

Up to 30m (Color)

Up to 40m (Color)

Up to 30m

SD Card

Yes (Up to 128 G)

Yes (Up to 512 G)

Yes (Up to 128 G)

Microphone

No

No

No

Yes (Built in MIC)

Yes (Built in MIC)

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMP

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

تارتان دیزآریات
CCTV AND SECURITY SYSTEMS

19

20

21

22

23

24

Part Number

DS-2CD2086G2-I

DS-2CD2087G2H-LIU

DS-2CD2123G2-IU

DS-2CD2126G2-ISU

DS-2CD2143G2-LIS2U

DS-2CD3143G2-IU

تارتان دیزآریات
CCTV AND SECURITY SYSTEMS

Price (Rials)

156,960,000

149,380,000

81,310,000

105,560,000

104,540,000

102,350,000

Camera Type

Bullet

Bullet

Dome

Dome

Dome

Dome

Resolution

8MP (3840 × 2160)

8MP (3840 × 2160)

2MP (1920x1080)

2MP (1920x1080)

4MP (2688 × 1520)

4MP (2688 × 1520)

Lens

2.8 mm Fixed

2.8/4 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 mm Fixed

2.8 /4mm Fixed

Viewing Angle

111°

105.1°/90°

107°

107°

104°

103°/83.5°

IR Range

Up to 40m

Up to 40m (ColorVu)

Up to 30m

Up to 30m

Up to 30m (Color)

Up to 40m

SD Card

Yes (Up to 256 G)

Yes (Up to 512G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 512G)

Microphone

No

Yes (Built in MIC)

WDR

Yes (120db)

Yes (130db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC, H.265+
COMP3D DNR, BLC, HLC,H.265+
COMP3D DNR, BLC, HLC,H.265+
COMP, DarkFighter3D DNR, BLC, HLC,H.265+
COMP3D DNR, BLC, HLC,H.265+
COMPClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

تارتان دیزآریات
CCTV AND SECURITY SYSTEMS

25

26

27

28

29

30

Part Number

DS-2CD2163G2-IU

DS-2CD3161G2-LIUF

DS-2CD3761G2-LIZSU

DS-2CD2183G2-LIS2U

DS-2CD2185FWD-I

DS-2CD3183G2-ISU



Price (Rials)

104,890,000

75,750,000

146,160,000

114,890,000

149,220,000

121,610,000

Camera Type

Dome

Dome

Dome

Dome

Dome

Dome

Resolution

6MP (3200 × 1800)

6MP (3200 × 1800)

6MP (3200 × 1800)

8MP (3840 × 2160)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

2.8 mm Fixed

2.8/4 mm Fixed

Viewing Angle

107°

105°/78°

105°/78°

108°/88°

107°/87°

108°/88°

IR Range

Up to 30m

Up to 30m (Color)

Up to 30m (Color)

Up to 30m (Color)

Up to 30m

Up to 40m

SD Card

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 128G)

Yes (Up to 512G)

Microphone

Yes (Built in MIC)

Yes (Built in MIC)

Yes (Built in MIC)

Yes (Built in MIC)

No

Yes (Built in MIC)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, HLC,H.265+
COMP3D DNR, BLC, HLC,H.265+
COMP

Click for More information

[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)

تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

تارتان سی‌سی‌تی آریانا
TARTAN CCTV & SECURITY SYSTEMS



31

32

33

34

35

36

Part Number

DS-2CD2H25FWD-IZS

DS-2CD2327G2-L

DS-2CD2347G2-L

DS-2CD2T43G2-2I

DS-2CD2T47G2-L

DS-2CD2T43G2-4I



Price (Rials)

189,190,000

105,000,000

127,690,000

96,000,000

149,440,000

90,500,000

Camera Type

Dome

Dome

Dome

Bullet

Bullet

Bullet

Resolution

2MP (1920x1080)

2MP (1920x1080)

4MP (2688 × 1520)

4MP (2688×1520)

4MP (2688×1520)

4MP (2688×1520)

Lens

2.8-12mm Motorized

2.8 mm Fixed

2.8 mm Fixed

4 mm Fixed

4 mm Fixed

4 mm Fixed

Viewing Angle

105°~35°

107°

112°

84°

95°

84°

IR Range

Up to 30m

Up to 30m (ColorVu)

Up to 30m (Color Vu)

Up to 60m (EXIR)

Up to 60m (Color Vu)

Up to 80m

SD Card

Yes (Up to 128 G)

Yes (Up to 512G)

Yes (Up to 256G)

Yes (Up to 256G)

Yes (Up to 512G)

Yes (Up to 256G)

Microphone

Yes (1.ch Audio Input)

No

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

Yes (130db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, HLC,
H.265+ COMP, DarkFighter3D DNR, BLC, HLC,H.265+
COMP3D DNR, BLC, HLC,H.265+
COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP3D DNR, BLC, HLC, ROI,
H.265+ COMP

Click for More information

[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)

تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد پلاک ۱
۰۲۱-۸۸۵۰۰۰۲۰

تارتان سی‌سی‌تی آریانا
CCTV AND SECURITY SYSTEMS

37

38

39

40

41

42

Part Number

DS-2CD2T83G2-4LI


DS-2CD3T81G2-LIUF

DS-2CD2646G2-Izs

DS-2CD2683G2-Lizs2U

DS-2CD2686G2-Izs

DS-2CD2687G2HT-Lizs

تارتان دیز آریات
CCTV AND SECURITY SYSTEMS

Price (Rials)

141,100,000

120,330,000

214,610,000

220,330,000

268,050,000

290,450,000

Camera Type

Bullet

Bullet

Bullet

Bullet

Bullet

Bullet

Resolution

8MP (3840 × 2160)

8MP (3840 × 2160)

4MP (2688 × 1520)

8MP (3840 × 2160)

8MP (3840 × 2160)

8MP (3840 × 2160)

Lens

4 mm Fixed

4/6 mm Fixed

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

Viewing Angle

88°

90°/57°

108°~30°

106°~30°

108°~46°

112°~41°

IR Range

Up to 80m (Color)

Up to 60m (Color)

Up to 60m

Up to 60m (Color)

Up to 50m

Up to 60m (Color)

SD Card

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 256G)

Yes (Up to 512G)

Microphone

No

Yes (Built in MIC)

Yes (1.ch Audio Input)

Yes (Built in MIC)

Yes (1.ch Audio Input)

Yes (1.ch Audio Input)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (130db)

Other Features

3D DNR, BLC, HLC, H.265+
COMP, ROI3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, ROI, H.265+
COMP-DarkFighter3D DNR, BLC, ROI, H.265+
COMP3D DNR, BLC, ROI, H.265+
COMP-DarkFighter3D DNR, BLC, ROI, H.265+
COMP-ColorVu

Click for More information

[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)[توضیحات محصول](#)

تهران- خیابان شهروردی- بالاتر از خیابان هویزه کوچه سرد م پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

تارتان دیز آریات
CCTV AND SECURITY SYSTEMS

43

44

45

46

47

48

Part Number

DS-2CD1743G2-LIZU

DS-2CD2743G2-IZS

DS-2CD2783G2-LIZS2U

DS-2CD2787G2HT-LIZS

DS-2CD2443G0-IW

DS-2DE7A232IW-AEB T5



تارتان دیزآریات

CCTV AND SECURITY SYSTEMS



Price (Rials)

110,040,000

187,520,000

220,330,000

275,930,000

101,990,000

593,800,000

Camera Type

Dome

Dome

Dome

Dome

Cube

PTZ

Resolution

4MP (2688 × 1520)

4MP (2688 × 1520)

8MP (3840 × 2160)

8MP (3840 × 2160)

4MP (2688x1520)

2MP (1920x1080)

Lens

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Motorized

2.8-12mm Varifocal

2.8/4 mm Fixed

4.8-153mm Varifocal

Viewing Angle

96°~29°

95.8°~29.2°

106°~30°

112°~41°

98°/78

50.8°~2.6

IR Range

Up to 30m (Color)

Up to 40m

Up to 40m (Color)

Up to 40m (Color)

Up to 10m

Up to 200m

SD Card

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 128G)

Yes (Up to 256G)

Microphone

Yes (Built in MIC)

Yes (1.ch Audio Input)

Yes (Built in MIC)

Yes (1.ch Audio Input)

Yes (Built in MIC)

Yes (1.ch Audio Input)

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (130db)

Yes (120db)

Yes (120db)

Other Features

3D DNR, BLC, ROI, H.265+ COMP

3D DNR, BLC, H.265+ COMP, Deep Learning

3D DNR, BLC, H.265+ COMP, Deep Learning

H.265+, HLC, BLC, 3D DNR

3D DNR, BLC, HLC, H.265+ COMP, PIR

32x Optical, 16x Digital Zoom, H.265+, HLC, BLC, 3D DNR

Click for More information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان شهروردي- بالاتر از خیابان هویزه کوچه سرد پلاک ۱



۰۲۱-۸۸۵۰۰۰۲۰

تارتان دیزآریات

CCTV AND SECURITY SYSTEMS



Part Number

DS-2DE7A432IW-AEB T5

DS-2DE4225IW-DE T5

DS-2DE4425IW-DE T5

DS-2SE4C225MWG-E

DS-2SE4C425MWG-E(14f0)



تارتن بز آریان

CCTV AND SECURITY SYSTEMS



Price (Rials)

687,780,000

331,160,000

376,340,000

439,430,000

526,530,000

Camera Type

PTZ

PTZ

PTZ

PTZ

PTZ

Resolution

4MP (2560x1440)

2MP (1920x1080)

4MP (2560 × 1440)

2MP (1920x1080)

4MP (2560x1440)

Lens

5.9-188mm Varifocal

4.8-120mm Motorized

4.8-120mm Motorized

2.8mm (Bullet)
4.8-120mm Motorized2.8mm (Bullet)
4.8-120mm Motorized

Viewing Angle

50.8°~2.6

25x

25x

106°(Bullet)
25x (PTZ)96.1°(Bullet)
25x (PTZ)

IR Range

Up to 200m

Up to 100m

Up to 100m

Up to 30m/Up to 100m

Up to 30m/Up to 100m

SD Card

Yes (Up to 256G)

Microphone

Yes (1.ch Audio Input)

No

No

No

No

WDR

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Yes (120db)

Other Features

32x Optical, 16x Digital
Zoom, H.265+, HLC, BLC,
3D DNR16x Digital Zoom, H.265+,
HLC, BLC, 3D DNR16x Digital Zoom, H.265+,
HLC, BLC, 3D DNR16x Digital Zoom, H.265+,
HLC, BLC, 3D DNR16x Digital Zoom, H.265+,
HLC, BLC, 3D DNRClick for More
information

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول



تهران- خیابان شهروردي- بالاتر از خیابان هویزه کوچه سرمهد پلاک ۱

۰۲۱-۸۸۵۰۰۰۲۰

تارتن بز آریان

CCTV AND SECURITY SYSTEMS



54

55

56

57

58

59

Part Number

DS-7604NI-K1

DS-7608NXI-K1

DS-7616NI-Q2

DS-7616NXI-K1

DS-7616NXI-K2/16P

DS-7616NXI-K2



تارن دز آریان
CCTV AND SECURITY SYSTEMS



Price (Rials)

67,190,000

93,610,000

106,810,000

82,630,000

280,920,000

144,690,000

NVR Type

4 Ch

8 Ch

16 Ch

16 Ch

16 Ch / 16 POE

16 Ch

Input BandWidth

40Mbps

80Mbps

160Mbps

160Mbps

160Mbps

160Mbps

Output Bandwidth

80Mbps

80Mbps

80Mbps

80Mbps

160Mbps

160Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 8Mp

Upto 12Mp

Upto 8Mp

Upto 12Mp

Upto 12Mp

Upto 12Mp

Video Output

1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P1 Port HDMI : 4K
1 Port VGA : 1080P

SATA Interface

1 HDD up to 8TB

1 HDD up to 10TB

2 HDD up to 8TB

1 HDD up to 10TB

2 HDD up to 10TB

2 HDD up to 10TB

Network Interface

1 RJ45 100M

1 RJ45 1000M

Other Features

H.265+ COMP

H.265+ COMP
Alarm I/O 4/1

H.265+ COMPR

H.265+ COMPR
Alarm I/O 4/1 - Facial
RecognitionH.265+ COMPR
Alarm I/O 4/1 - Facial
RecognitionH.265+ COMPR
Alarm I/O 4/1 - Facial
RecognitionClick for More
information

توضیحات محصول


توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

توضیحات محصول

	60	61	62	63	64	65
Part Number	DS-7716NXI-K4	DS-7732NXI-K4	DS-7732NI-K4/16P	DS-9632NI-M8	DS-9632NXI-I8/S	DS-9632NI-M16
						
تارتان دیجیتال CCTV AND SECURITY SYSTEMS						
Price (Rials)	288,630,000	317,360,000	431,220,000	1,007,640,000	965,430,000	1,365,390,000
NVR Type	16 Ch	32 Ch	32 Ch / 16 POE	32 Ch	32 Ch	32 Ch
Input BandWidth	160Mbps	256Mbps	256Mbps	320Mbps	320Mbps	320Mbps
Output Bandwidth	160Mbps	160Mbps	160Mbps	400Mbps	256Mbps	400Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out	1Ch. In/ 2Ch. Out
Decoding Capacity	Upto 12Mp	Upto 12Mp	Upto 8Mp	Upto 32Mp	Upto 32Mp	Upto 32Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	2 Port HDMI : 8K/4K 2 Port VGA : 1080P	2 Port HDMI : 4K 2 Port VGA : 1080P	2 Port HDMI : 8K/4K 2 Port VGA : 1080P
SATA Interface	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB	8 HDD up to 16TB	8 HDD up to 14TB	16 HDD up to 16TB
Network Interface	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Other Features	H.265+ COMPR Alarm I/O 16/4- Facial Recognition	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/4	H.265+ COMPR Alarm I/O 16/8, RAID, DeepinMind- Esata 1	H.265+ COMPR Alarm I/O 16/8, RAID, AcuSense- Esata 1	H.265+ COMPR Alarm I/O 16/9, RAID, - Esata 1
Click for More information	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول	توضیحات محصول

Part Number **DS-9664NI-M8**



تارتان دیجیتال

CCTV AND SECURITY SYSTEMS

Price (Rials) **1,398,670,000**

NVR Type	64 Ch
Input BandWidth	400Mbps
Output Bandwidth	400Mbps
Audio Input/Output	1Ch. In/ 2Ch. Out
Decoding Capacity	Upto 32Mp
Video Output	2 Port HDMI : 8K/4K 2 Port VGA : 1080P
SATA Interface	8 HDD up to 16TB
Network Interface	2 RJ45 1000M
Other Features	H.265+ COMPR Alarm I/O 16/9, RAID, DeepinMind
Click for More information	توضیحات محصول

تهران- خیابان سهروردی- بالاتر از خیابان هویزه کوچه سرمهد پلاک ۱
۰۲۱-۸۸۵۰۰۰۲۰

تارتان دیجیتال
CCTV AND SECURITY SYSTEMS





لیست قیمت (سهمی بهمن ۱۴۰۳)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۰-۱۳۵۶۸۰۰۲



1

2

3

4

Dahua**DH-HAC-B1A21P-0280B****DH-HAC-B2A21P-0360B****DH-HAC-HFW1200CP-0280B-S5****DH-HAC-HFW1200CP-0360B-S5**

Price (Rials)	۶,۷۱۰,۰۰۰	۸,۸۰۰,۰۰۰	۸,۵۸۰,۰۰۰	۸,۵۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.04Lux/F1.85	0.01Lux/F2.0	0.01Lux/F2.0
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	3.6 Fixed
Viewing Angle	100°	93°	102°	83°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Plastic	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	No	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR, AWB, Switchable	Smart IR, HLC, BLC, 2D DNR, AWB, AGC, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable	Smart IR, HLC, BLC, 3D NR, Switchable

5

6

7

8

Dahua

DH-HAC-HFW1200DP-0360B-S5

DH-HAC-HFW1209CP-A-LED-0280B-S2

DH-HAC-HFW1239TP-A-LED-0360B-S2

DH-HAC-HFW1209TLMP-A-LED-0280B-S2



Price (Rials)	١١,٨٨٠,٠٠٠	١٢,٧٦٠,٠٠٠	١٥,٩٥٠,٠٠٠	١٤,٨٥٠,٠٠٠
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.005Lux/F1.6	0.001Lux/F1.6	0.01Lux/F1.6
Lens	3.6 Fixed	2.8 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	89.9°	108°	86°	106°
IR Range	Up to 80m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Aluminium	Plastic & Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	No	No	Yes
WDR	DWDR	DWDR	WDR 130db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D NR, AGC, Switchable	Smart Light, HLC, BLC, Switchable, Built in Mic	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic	Smart Light, BLC, 2D NR, Switchable, Built in mic

9

10

11

12

Dahua**DH-HAC-T1A21P-0280B****DH-HAC-T2A21P-0280B****DH-HAC-HDW1200TLMP-0280B-S6****DH-HAC-HDW1200TLMQP-A-0280B-S5**

Price (Rials)	۷,۲۶۰,۰۰۰	۸,۸۰۰,۰۰۰	۱۰,۴۵۰,۰۰۰	۱۱,۲۲۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F2.0	0.02Lux/F2.0	0.01Lux/F2.0	0.02Lux/F1.9
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	100°	100°	102°	101°
IR Range	Up to 20m	Up to 20m	Up to 30m	Up to 30m
Body Type	Plastic	Metal	Metal	Plastic & Metal
IP Standard	-	IP67	IP67	IP67
OSD Menu	No	No	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable	Smart IR, BLC, HLC, 2D DNR, Switchable, Built-in mic

13

14

15

16

Dahua

DH-HAC-HDW1200TRQP-A-0280B-S5

DH-HAC-HDW1200CLQP-IL-A-0280B-KS6

DH-HAC-HDW1200EMP-A-0280B-S5

DH-HAC-HDW1209TQP-LED-0280B-S2



Price (Rials)	10,400,000	12,100,000	11,880,000	11,660,000
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	HD1080P
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.02Lux/F1.9	0.01Lux/F2.0	0.02Lux/F1.9	0.01Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	101°	102°	101°	106°
IR Range	Up to 25m	Dual Light Up to 20m	Up to 50m	Full-color Up to 40m
Body Type	Plastic	Plastic	Metal	Plastic & Metal
IP Standard	IP50	IP67	IP67	IP67
OSD Menu	Yes	Yes	No	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, BLC,HLC, Switchable, 2D NR	Smart Light, BLC, HLC, 3D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC,2D DNR, Switchable, Built in mic	Smart Light, BLC,2D DNR, Switchable

17

18

19

20

Dahua

DH-HAC-HDW1209TLQP-A-LED-0280B-S2 DH-HAC-HDW1209TQP-A-LED-0280B-S2 DH-HAC-HDW1209TLQP-LED-0280B-S2 DH-HAC-HFW1500CMP-0360B-S2



Price (Rials)	۱۳,۵۳۰,۰۰۰	۱۴,۳۰۰,۰۰۰	۱۱,۵۵۰,۰۰۰	۱۴,۸۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Imaging Sensor	2 Megapixel	2 Megapixel	2 Megapixel	5 Megapixel
Resolution	HD1080P	HD1080P	HD1080P	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.01Lux/F1.6	0.01Lux/F1.6	0.005Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	106°	106°	111°
IR Range	Starlight/Up to 20m	Full-color Up to 40m	Starlight/Up to 20m	Starlight/Up to 30m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	Yes	Yes	Yes	No
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, BLC, Switchable, 2D DNR	Smart Light, BLC, 2D DNR, Switchable, Built in Mic	Smart Light, BLC, 2D DNR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable

21

22

23

24

Dahua**DH-HAC-HFW1500CMP-IL-A-0280B-S2****DH-HAC-HFW1500DP-0360B-S2****DH-HAC-HFW1500TP-A-0360B-S2****DH-HAC-HFW1500TLMP-IL-A-0280B-S2**

Price (Rials)	۱۷,۶۰۰,۰۰۰	۱۹,۰۳۰,۰۰۰	۱۸,۵۰۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2592×1944)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.05Lux/F1.6	0.01Lux/F1.6	0.02Lux/F1.85	0.05Lux/F1.6
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	106°	92°	92°	88°
IR Range	Dual light Up to 20m	Starlight/Up to 80m	Starlight/Up to 30m	Dual light Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	Yes	Yes	Yes
WDR	DWDR	DWDR	DWDR	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in MIC	Smart IR, HLC, BLC, 2D NR, Switchable	Smart IR, HLC, BLC, 2D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 2D NR, Switchable

25

26

27

28

Dahua

DH-HAC-HFW1509CP-LED-0280B-S2

DH-HAC-HFW1509TP-LED-0360B-S2

DH-HAC-HFW1509TP-A-LED-0360B-S2

DH-HAC-HFW1509TLMP-A-LED-0280B-S2



Price (Rials)	۱۶,۹۴۰,۰۰۰	۱۹,۵۸۰,۰۰۰	۲۰,۷۹۰,۰۰۰	۲۳,۱۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0
Lens	2.8 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	112°	88°	88°	112°
IR Range	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 20m	Full-color Up to 40m
Body Type	Plastic & Metal	Metal	Metal	Plastic & Metal
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	No
WDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, HLC-Pro	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable, Built in mic	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic

Dahua

DH-HAC-HFW1509TLMP-A-LED-0360B-S2 DH-HAC-HFW1509TLMP-IL-A-0360B-S2 DH-HAC-HFW1509MHP-A-LED-0360B-S2 DH-HAC-HDW1500CLQP-IL-A-0280B-S2



Price (Rials)	۲۳,۱۰۰,۰۰۰	۲۴,۷۵۰,۰۰۰	۲۶,۹۵۰,۰۰۰	۱۷,۳۸۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0	0.001Lux/F1.0	0.001Lux/F1.0	0.05Lux/F1.6
Lens	3.6 Fixed	3.6 Fixed	3.6 Fixed	2.8 Fixed
Viewing Angle	88°	89°	88°	106°
IR Range	Full-color Up to 40m	Dual light Up to 40m	Full-color Up to 50m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic & Metal	Plastic & Metal	Plastic
IP Standard	IP67	IP67	IP67	IP67
OSD Menu	No	No	No	Yes
WDR	WDR 120db	WDR 120db	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, Built in mic	Smart Light, HLC, HLC-Pro, BLC, 3D NR, Switchable, Built-in MIC	Smart Light, HLC, BLC, 3D NR, Switchable, Built in Mic	Smart Light, BLC, HLC, 2D DNR, Switchable, Built in Mic

Dahua

DH-HAC-HDW1500TMQP-A-0280B-S2

DH-HAC-HDW1500TRQP-A-0280B-S2

DH-HAC-HDW1500TLQP-A-0280B-S2

DH-HAC-HDW1500TLMP-IL-A-0280B-S2



Price (Rials)	۱۷,۰۰۰,۰۰۰	۱۴,۸۰۰,۰۰۰	۱۶,۱۰۰,۰۰۰	۱۷,۸۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Imaging Sensor	5 Megapixel	5 Megapixel	5 Megapixel	5 Megapixel
Resolution	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS	CVI, TVI, AHD, CVBS
Min. Illustration	0.01Lux/F1.6	0.005Lux/F1.6	0.01Lux/F1.6	0.05Lux/F1.6
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	111°	111°	111°	106°
IR Range	Starlight/Up to 30m	Starlight/Up to 25m	Starlight/Up to 30m	Dual Light Up to 20m
Body Type	Plastic & Metal	Plastic	Plastic & Metal	Metal
IP Standard	IP67	IP50	IP67	IP67
OSD Menu	Yes	Yes	Yes	Yes
WDR	DWDR	DWDR	WDR 120db	DWDR
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Other Features	Smart IR, HLC, BLC, 2D DNR, Switchable, Built in Mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart IR, HLC, BLC, 2D NR, Switchable, Built-in mic	Smart Light, HLC, BLC, 2D NR, Switchable, Built-in mic

Dahua

DH-HAC-HDW1509TLQP-A-LED-0280B-S2



Price (Rials)	۱۹,۸۰۰,۰۰۰
Camera Type	Dome
Imaging Sensor	5 Megapixel
Resolution	5MP (2880×1620)
Signal System	CVI, TVI, AHD, CVBS
Min. Illustration	0.001Lux/F1.0
Lens	2.8 Fixed
Viewing Angle	112°
IR Range	Starlight/Up to 20m
Body Type	Plastic & Metal
IP Standard	IP67
OSD Menu	No
WDR	WDR 120db
Power Supply	12 VDC
Other Features	Smart Light, HLC, BLC, 3D NR, Switchable, Built-in mic

Dahua**DH-XVR1B04-I****DH-XVR5104HS-I3****DH-XVR5104HS-4KL-I3****DH-XVR1B08-I**

	۱۸,۷۰۰,۰۰۰	۲۳,۳۳۰,۰۰۰	۴۲,۹۰۰,۰۰۰	۲۲,۹۹۰,۰۰۰
XVR Type	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	4 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	4 Ch. HDCVI/AHD/TVI Up to 2MP	4 Ch. HDCVI/AHD/TVI Up to 5MP	4 Ch. HDCVI/AHD/TVI Up to 8MP	8 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	1 Ch. Up to 2MP	2 Ch. Up to 6MP	4 Ch. Up to 8MP	2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out			
Recording	2MP: 25/30FPS 720P: 25/30FPS	5MP: 25FPS 4MP: 25/30FPS	4K: 25/30FPS 5MP: 25FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI : 4K 1 Port VGA: 2MP	1 Port HDMI : 2MP 1 Port VGA: 2MP
SATA Interface	1 HDD up to 6TB	1 HDD up to 16TB	1 HDD up to 16TB	1 HDD up to 6TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Cooper 1U	Compact 1U	Compact 1U	Cooper 1U
Other Features	H.265+/H.265/H.264+/H.264	AI Coding/H.265+/H.265/H.264+/H.264, Wiz Sense	AI Coding/H.265+/H.265/H.264+/H.264, Wiz Sense	AI Codin/H.265+/H.265/H.264+/H.264

42

43

44

45

Dahua	DH-XVR5108HS-I3	DH-XVR5108HS-4KL-I3	DH-XVR5116HS-I3	DH-XVR1B16-I
				
Price (Rials)	۴۶,۷۵۰,۰۰۰	۷۸,۱۰۰,۰۰۰	۸۰,۸۵۰,۰۰۰	۹۱,۸۰۰,۰۰۰
XVR Type	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	8 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	8 Ch. HDCVI/AHD/TVI Up to 5MP	8 Ch. HDCVI/AHD/TVI Up to 8MP	16 Ch. HDCVI/AHD/TVI Up to 5MP	16 Ch. HDCVI/AHD/TVI Up to 2MP
IP Video Input	4 Ch. Up to 6MP	8 Ch. Up to 4K	8 Ch. Up to 6MP	2 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	5MP: 25FPS 4MP:25/30FPS	4K:25/30FPS 5MP: 25FPS	5MP: 25FPS 4MP: 25/30FPS	2MP: 25/30FPS 720P: 25/30FPS
Video Output	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI : 4k 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA: 2MP
SATA Interface	1 HDD up to 16TB	1 HDD up to 16TB	1 HDD up to 6TB	1 SSD up to 1TB
Network Interface	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Compact 1U	Compact 1U	Standalone 1U
Other Features	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression	H.265+/H.265 dual-stream video compression , Supports Full-channel AI-Coding

Dahua**DH-XVR5216AN-4KL-I3****DH-XVR5216AN-I3****DH-XVR5232AN-I3**

	١٣٩,٧٠٠,٠٠٠	٩٥,٧٠٠,٠٠٠	١٧٣,٨٠٠,٠٠٠
XVR Type	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	16 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP	32 Ch. quadruple Hybrid HD-CVI /AHD/ CVBS/TVI / IP
Analog Video Input	16 Ch. HDCVI/AHD/TVI Up to 4K	16 Ch. HDCVI/AHD/TVI Up to 5MP	32 Ch. HDCVI/AHD/TVI Up to 5MP
IP Video Input	16 Ch. Up to 8MP	8 Ch. Up to 6MP	16 Ch. Up to 6MP
Audio Input/Output	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out	1Ch. In / 1Ch. Out
Recording	4K: 25/30FPS 5MP:25FPS	5MP: 25FPS 4MP:25/30FPS	5MP: 25FPS 4MP: 25/30FPS
Video Output	1 Port HDMI :4k 1 Port VGA : 1080p	1 Port HDMI : 2MP 1 Port VGA: 2MP	1 Port HDMI :4k 1 Port VGA : 2MP 1 Port CVBS
SATA Interface	2 HDD up to 16TB	2 HDD up to 16TB	2 HDD up to 16TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Standalone 1U	1U	Compact 1U
Other Features	Smart H.265+ and H.265 dual-stream video compression, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense	Smart H.265+ and H.265 dual-stream video compression, IoT and POS capabilities, Wiz Sense



لیست قیمت (سنه بهمن ۱۴۰۳)


تارتون دز آریانا

فروش محصولات داهوا

تمامی کالاها دارای 24 ماه گارانتی پارس ارتباط

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۰-۱۳۶۸۰۰۲



1

2

3

4

Dahua

DH-IPC-HFW1239S1P-LED-0280B-S5-QH2

DH-IPC-HFW2249SP-S-LED-0360B

DH-IPC-HDW1230SP-0280B-S5-QH2

DH-IPC-HDW1239T1P-LED-0280B-S5-QH2



Price (Rials)	۲۲,۰۰۰,۰۰۰	۲۴,۱۰۰,۰۰۰	۱۸,۴۸۰,۰۰۰	۲۲,۲۲۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.7"
Lens	2.8 Fixed	3.6 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	106°	85°	102°	110°
Night Vision Distance	Full-color 10 M	Warmlight 30 M	IR 30M	Full-color 15M
Dynamic Range	DWDR	WDR 120db	DWDR	DWDR
Built in Mic	No	Yes	No	No
SD Card Support	No	Yes (Up to 256G)	No	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

5

6

7

8

Dahua

DH-IPC-HDW1239T1P-A-LED-0280B-S5-QH2

DH-IPC-HDBW2230EP-S-0280B-S2-QH3

DH-IPC-HDW2241TP-S-0280B

DH-IPC-HDW2249TP-S-LED-0280B



	۲۸,۳۰۰,۰۰۰	۲۹,۹۵۰,۰۰۰	۳۱,۷۰۰,۰۰۰	۳۲,۴۵۰,۰۰۰
Price (Rials)	۲۸,۳۰۰,۰۰۰	۲۹,۹۵۰,۰۰۰	۳۱,۷۰۰,۰۰۰	۳۲,۴۵۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps	2MP(1920×1080) @25/30fps
Sensor Size	1/2.7"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	110°	108°	107°	106°
Night Vision Distance	Full-color 10M	Starlight/ IR 30M	IR 30 M	Full-color 30 M
Dynamic Range	DWDR	DWDR	WDR 120db	WDR 120db
Built in Mic	No	No	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264/H.265	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67,IK10	IP67	IP67
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, Motion detection, video tampering	3D NR, HLC, BLC, ROI, Motion detection, video tampering

9

10

11

12

Dahua

DH-IPC-HFW1431SP-0280B-S4

DH-IPC-HFW2449SP-S-IL-0280B

DH-IPC-HFW2441SP-S-0280B

DH-IPC-HFW3449EP-AS-LED-0280B



Price (Rials)	۲۹,۱۵۰,۰۰۰	۴۰,۱۵۰,۰۰۰	۳۵,۵۳۰,۰۰۰	۵۷,۲۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @30fps
Sensor Size	1/3"	1/2.9"	1/2.9"	1/2.7"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	93°	102°	95°	103°
Night Vision Distance	IR 30M	Warm light 30M	IR 30 M	Full-color 30M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, BLC, HLC, ROI	3D NR, BLC, HLC, ROI, Intelligent monitoring, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI, Wiz Sense

13

14

15

16

Dahua

DH-IPC-HFW1431S1P-0280B-S4

DH-IPC-HFW1430SP-A-0280B-S5

DH-IPC-HFW1431S1P-A-0360B-S4

DH-IPC-HFW2441TP-AS-0360B



Price (Rials)	۲۸,۹۰۰,۰۰۰	۳۰,۹۱۰,۰۰۰	۳۰,۱۴۰,۰۰۰	۴۵,۹۵۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps	4MP(2688×1520) @25/30fps
Sensor Size	1/3"	1/3"	1/2.7"	1/2.9"
Lens	2.8 Fixed	2.8 Fixed	3.6 Fixed	3.6 Fixed
Viewing Angle	93°	90°	88°	84°
Night Vision Distance	IR 30 M	IR 30 M	IR 30 M	IR 80 M
Dynamic Range	WDR 120db	DWDR	WDR 120db	WDR 120db
Built in Mic	No	Yes	Yes	Yes
SD Card Support	No	No	No	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense

17

18

19

20

Dahua

DH-IPC-HFW2449TP-AS-IL-0360B

DH-IPC-HFW2441TP-ZS-27135

DH-IPC-HDBW1431EP-0280B-S4

DH-IPC-HDW1431T1P-0280B-S4



	₮۰,۳۸۰,۰۰۰	₮۹,۳۰۰,۰۰۰	₮۹,۷۰۰,۰۰۰	₮۹,۱۵۰,۰۰۰
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	4MP(2688×1520) @25/30fps	4MP(2688×1520) @20fps	4MP(2560×1440) @25/30fps	4MP(2560×1440) @25/30fps
Sensor Size	1/2.9"	1/2.9"	1/3.4"	1/3"
Lens	3.6 Fixed	Motorized (2.7–13.5 mm)	2.8 Fixed	2.8 Fixed
Viewing Angle	84°	104°-29°	108°	93°
Night Vision Distance	Warmlight/ IR 60 M	IR 60 M	IR 30M	IR 30M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	No	No
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	No
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67, IK10	IP67, IK10	IP67,IK10	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI

21

22

23

24

Dahua

DH-IPC-HDW1431T1P-A-0280B-S4

DH-IPC-HDW1431SP-0280B-S4

DH-IPC-HDBW2441EP-S-0280B

DH-IPC-HDBW3441EP-AS-0280B-S2



Price (Rials)	۳۳,۰۰,۰۰۰	۲۹,۷۰,۰۰۰	۳۵,۵۳,۰۰۰	۵۳,۱۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2688×1520) @25/30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @25/30fps
Sensor Size	1/2.7"	1/3"	1/2.9"	1/2.9"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	104°	93°	102°	107°
Night Vision Distance	Starlight/ IR 30M	IR 30M	IR 30 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	No	Yes	Yes
SD Card Support	No	No	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Protection	IP67	IP67	IP67, IK10	IP67, IK10
Other Features	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, digital watermarking, ROI	3D NR, HLC, BLC, Wiz Sense	3D NR, HLC, BLC, Wiz Sense

25

26

27

28

Dahua

DH-IPC-HDW3449TMP-AS-LED-0280B

DH-IPC-HDW2441TMP-S-0280B

DH-IPC-HDW2449TP-S-IL-0280B

DH-IPC-HDW4441EMP-S-0280B



	Price (Rials)	٤٨,١٨٠,٠٠٠	٤٠,١٥٠,٠٠٠	٤٠,٣٧٠,٠٠٠	٦٣,٥٨٠,٠٠٠
Camera Type	Dome	Dome	Dome	Dome	Dome
Max Resolution	4MP(2688×1520) @30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps	4MP(2688×1520) @20fps
Sensor Size	1/2.7"	1/2.9"	1/2.9"	1/3"	1/3"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	103°	95°	95°	104°	104°
Night Vision Distance	Full-color 30M	IR 30M	Warmslight/ IR 30 M	IR 50 M	IR 50 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: 3D NR, HLC, BLC, ROI, Intelligent detection: 3D NR, HLC, BLC, ROI, Intelligent detection: 3D NR, HLC, BLC, ROI, AWB, AGC, Multiple Intrusion, tripwire, Wiz Sense	Intrusion, tripwire, Wiz Sense	Intrusion, tripwire, Wiz Sense	Intrusion, tripwire, Wiz Sense	Multiple network monitoring

29

30

31

32

Dahua

DH-IPC-HDW1430TP-A-0280B-S5

DH-IPC-HDW2441TP-S-0280B

DH-IPC-HDW3441EMP-S-0280B-S2

DH-IPC-HFW2541SP-S-0280B-S2



	₼1,۰۲۰,۰۰۰	₼۲۵,۰۳۰,۰۰۰	₼۴۷,۰۸۰,۰۰۰	₼۶۶,۲۰۰,۰۰۰
Price (Rials)	₼1,۰۲۰,۰۰۰	₼۲۵,۰۳۰,۰۰۰	₼۴۷,۰۸۰,۰۰۰	₼۶۶,۲۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Bullet
Max Resolution	4MP(2560×1440) @25/30fps	4MP(2688×1520) @20fps	4MP(2688×1520) @25/30fps	5MP(2960×1668) @20fps
Sensor Size	1/3"	1/2.9"	1/2.9"	1/2.7"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	90°	95°	102°	111°
Night Vision Distance	IR 30 M	IR 30 M	IR 50 M	IR 30 M
Dynamic Range	DWDR	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	No	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE			
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Motion detection, video tampering	3D NR, HLC, BLC, ROI, Motion detection, video tampering	3D NR, HLC, BLC, ROI, Motion detection, video tampering	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, Wiz Sense

33

34

35

36

Dahua

DH-IPC-HFW2541EP-S-0280B

DH-IPC-HDW2541TP-S-0280B-S2

DH-IPC-HFW2841SP-S-0280B

DH-IPC-HFW2849SP-S-IL-0280B



Price (Rials)	۵۵,۳۳۰,۰۰۰	۴۷,۳۰۰,۰۰۰	۶۲,۹۰۰,۰۰۰	۶۱,۶۰۰,۰۰۰
Camera Type	Bullet	Dome	Bullet	Bullet
Max Resolution	5MP(2592×1944) @20fps	5MP(2592×1944) @20fps	8MP(3840×2160) @20fps	8MP(3840×2160) @20fps
Sensor Size	1/2.7"	1/2.7"	1/2.7"	1/2.7"
Lens	2.8 Fixed	2.8 Fixed	2.8 Fixed	2.8 Fixed
Viewing Angle	97°	97°	106°	111°
Night Vision Distance	IR 30 M	IR 30 M	IR 30 M	Warmlight/IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)	Yes (Up to 256G)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+	SMART H.264+/H.265+
Protection	IP67	IP67	IP67	IP67
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, ROI, Motion detection, video tampering, built in 1-channel MIC, Wiz Sense	3D NR, HLC, BLC, digital watermarking, ROI, Motion detection, Wiz Sense	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense

37

Dahua

DH-IPC-HFW2841TP-ZS-27135



38

DH-IPC-HFW5842HP-ZHE-2712F-
DC12AC24V-ATC-S3

39

DH-IPC-HDW2849TP-S-IL-0280B



40

DH-IPC-HDBW5842HP-ZHE-2712F-
DC12AC24V-ATC-S3

	٨٨,٠٠٠,٠٠٠	١٨٠,٤٠٠,٠٠٠	٩٢,١٥٠,٠٠٠	١٨١,٥٠٠,٠٠٠
Camera Type	Bullet	Bullet	Dome	Dome
Max Resolution	8MP(3840×2160) @20fps	8MP(3840×2160) @25/30fps	8MP(3840×2160) @20fps	8MP(3840×2160) @25/30fps
Sensor Size	1/2.7"	1/1.8"	1/2.7"	1/1.8"
Lens	Motorized (2.7–13.5 mm)	Motorized (2.7–12 mm)	2.8 Fixed	Motorized (2.7–12 mm)
Viewing Angle	113°-31°	112°-48°	111°	114°-48°
Night Vision Distance	IR 60 M	IR 60 M	Warmlight/ IR 30 M	IR 40 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 256G)	Yes (Up to 1TB)	Yes (Up to 256G)	Yes (Up to 1TB)
Power Supply	12V DC or POE	12V DC or POE	12V DC or POE	12V DC or POE
Video Compression	SMART H.264+/H.265+	Smart H.265+/H.264+/ AI	SMART H.264+/H.265+	Smart H.265+/H.264+/ AI
Protection	IP67, IK10	IP67, IK10	IP67	IP67, IK10
Other Features	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, dual Mic, smart sound detection, IVS, face detection, smart object detection, Wiz Sense	3D NR, HLC, BLC, ROI, Intelligent detection: Intrusion, tripwire, Wiz Sense	3D NR, HLC, BLC, dual Mic, smart sound detection, IVS, face detection, smart object detection, Wiz Sense

41

42

43

Dahua**DH-SD5A432GB-HNR****DH-SD49225GB-HNR****DH-SD5A445GB-HNR****Price (Rials)**

۳۲۰,۰۰۰,۰۰۰

۱۷۰,۰۰۰,۰۰۰

۴۷۳,۰۰۰,۰۰۰

Camera Type

PTZ

PTZ

PTZ

Max Resolution4MP(2560×1440)
@25/30fps2MP(1920×1080)
@25/30fps4MP(2560×1440)
@25/30fps**Sensor Size**

1/2.8"

1/2.8"

1/2.8"

Lens

4.8 mm–154 mm

4.8mm–120 mm

3.95 mm–177.75 mm

Optical zoom

32x

25x

45x

Night Vision Distance

Starlight/IR 150 M

Starlight/IR 100 M

Starlight/IR 150 M

Dynamic Range

WDR 120db

WDR 120db

WDR 120db

Built in Mic

No

No

No

SD Card Support

Yes (Up to 512G)

Yes (Up to 512G)

Yes (Up to 512G)

Power Supply

24V DC or POE

12 VDC or POE

24V DC or POE

Video Compression

Smart H.265+; H.265; Smart H.264+

Smart H.265+; H.265; Smart H.264+

Smart H.265+; H.265; Smart H.264+

Protection

IP67/IK10

IP66

IP67/IK10

Other Features

Defog, ROI, 2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Auto Tracking, Face Detection, PoE+

Defog, ROI, 2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Face Detection, Perimeter protection

Defog, ROI, 2D & 3D DNR, BLC, Tripwire and intrusion, SMD, Auto Tracking, Face Detection, Perimeter protection

44

45

46

47

Dahua**DHI-NVR2104HS-I2****DHI-NVR4104HS-4KS3****DHI-NVR1104HS-S3/H(V2.0)****DHI-NVR4104HS-4KS2/L**

Price (Rials)	۴۲,۱۲۰,۰۰۰	۴۴,۷۷۰,۰۰۰	۲۵,۸۵۰,۰۰۰	۴۴,۰۰۰,۰۰۰
NVR Type	4 Ch	4 Ch	4 Ch	4 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	60Mbps	60Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 12MP	Upto 12MP	Upto 8Mp	Upto 8Mp
Video Output	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 2MP 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA : 1080P
POE Ports	-	-	-	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 20TB	1 HDD up to 8TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Compact 1U	Compact 1U	Compact 1U	Compact 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense	Smart H.265+/H.265/Smart H.264+/H.264, SMD Plus	Smart H.265+/H.265/Smart H.264+/H.264	Smart H.265+/ Smart H.264+/ H.265/ H.264/

48

49

50

51

Dahua**DHI-NVR2108HS-I2****DHI-NVR4108HS-4KS3****DHI-NVR4108HS-EI****DHI-NVR4108HS-4KS2/L**

	۴۸,۴۰۰,۰۰۰	۴۸,۹۵۰,۰۰۰	۶۴,۳۵۰,۰۰۰	۴۸,۴۰۰,۰۰۰
NVR Type	8 Ch	8 Ch	8 Ch	8 Ch
Input BandWidth	80Mbps	80Mbps	80Mbps	80Mbps
Output Bandwidth	60Mbps	60Mbps	80Mbps	60Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8Mp	Upto 12MP	Upto 16MP	Upto 8MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 1080P	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4k 1 Port VGA
POE Ports	-	-	-	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 20TB	1 HDD up to 16TB	1 HDD up to 10TB
Network Interface	2 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Chassis	Standalone 1U	Compact 1U	Compact 1U	Compact 1U
Other Features	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense	Smart H.265+/H.265/Smart H.264+/H.264, SMD Plus	Smart H.265+/H.265/Smart H.264+/H.264, SMD Plus	Smart H.265/H.265/Smart H.264/MJPEG, SMD Plus by Camera

52

53

54

55

Dahua**DHI-NVR4108HS-8P-4KS2/L****DHI-NVR1108HS-S3/H(V2.0)****DHI-NVR5216-EI****DHI-NVR2116HS-I2**

Price (Rials)	۸۱,۵۰۰,۰۰۰	۲۰,۸۰۰,۰۰۰	۱۴۳,۰۰۰,۰۰۰	۶۸,۳۰۰,۰۰۰
NVR Type	8 Ch	8 Ch	16 Ch	16 Ch
Input BandWidth	80Mbps	80Mbps	384Mbps	144Mbps
Output Bandwidth	60Mbps	60Mbps	384Mbps	72Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 8MP	Upto 8MP	Upto 32MP	Upto 12MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 2MP 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
POE Ports	8 POE Ports	-	-	-
SATA Interface	1 HDD up to 10TB	1 HDD up to 8TB	2 HDD up to 20TB	1 HDD up to 10TB
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 1000M	1 RJ45 1000M
Chassis	Compact 1U	Compact 1U	1U	Compact 1U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG, SMD Plus by Camera	Smart H.265+/Smart H.264+/H.265/H.264	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense	Smart H.265+/H.265/Smart H.264+/H.264, Wiz Sense

56

57

58

59

Dahua**DHI-NVR4216-EI****DHI-NVR4116HS-4KS3****DHI-NVR4216-4KS3****DHI-NVR2216-I2****Price (Rials)****۹۱,۸۵۰,۰۰۰****۹۲,۷۰۰,۰۰۰****۷۴,۵۸۰,۰۰۰****۷۰,۹۵۰,۰۰۰****NVR Type**

16 Ch

16 Ch

16 Ch

16 Ch

Input BandWidth

256Mbps

160Mbps

160Mbps

144Mbps

Output Bandwidth

256Mbps

80Mbps

80Mbps

72Mbps

Audio Input/Output

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

1Ch. In/ 1Ch. Out

Decoding Capacity

Upto 16MP

Upto 12MP

Upto 12MP

Upto 12MP

Video Output1 Port HDMI : 4K
1 Port VGA1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4k
1 Port VGA1 Port HDMI : 4k
1 Port VGA**POE Ports**

-

-

-

-

SATA Interface

2 HDD up to 16TB

1 HDD up to 20TB

2 HDD up to 20TB

2 HDD up to 10TB

Network Interface

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

1 RJ45 1000M

Chassis

1U

Compact 1U

1U

1U

Other FeaturesSmart H.265+/H.265/Smart H.264+/H.264,
Wiz SenseSmart H.265/H.265/Smart
H.264/H.264/MJPEG, SMD PlusSmart H.265/H.265/Smart
H.264/H.264/MJPEG, SMD PlusSmart H.265/H.265/Smart
H.264/H.264/MJPEG, Wiz Sense

60

61

62

63

Dahua**DHI-NVR4232-EI****DHI-NVR5232-EI****DHI-NVR5432-EI****DHI-NVR608H-32-XI**

Price (Rials)	۱۱۴,۴۰۰,۰۰۰	۱۷۴,۹۰۰,۰۰۰	۲۴۹,۷۰۰,۰۰۰	۵۲۸,۰۰۰,۰۰۰
NVR Type	32 Ch	32 Ch	32 Ch	32 Ch
Input BandWidth	256Mbps	384Mbps	384Mbps	1280Mbps
Output Bandwidth	256Mbps	384Mbps	384Mbps	1024Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out			
Decoding Capacity	Upto 16MP	Upto 32MP	Upto 32MP	Upto 32MP
Video Output	1 Port HDMI : 4k 1 Port VGA	1 Port HDMI : 4k 1 Port VGA	2 Port HDMI : 4k 1 Port VGA	4 Port HDMI : 4k/8K/2MP 2 Port VGA : 1080p
POE Ports	-	-	-	-
SATA Interface	2 HDD up to 16TB	2 HDD up to 20TB	4 HDD up to 20TB	8 HDD up to 20TB
Network Interface	1 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 2500M
Chassis	1U	1U	1.5U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense	H.265/H.264/MJPEG, Support Smart Tracking and Intelligent Video, Wiz Mind

64

65

66

Dahua**DHI-NVR5464-EI****DHI-NVR608H-64-XI****DHI-NVR608H-128-XI**

Price (Rials)	۲۳۰,۰۰۰,۰۰۰	۷۳۷,۰۰۰,۰۰۰	۱,۰۸۹,۰۰۰,۰۰۰
NVR Type	64 Ch	64 Ch	128 Ch
Input BandWidth	384Mbps	1280Mbps	1280Mbps
Output Bandwidth	384Mbps	1024Mbps	1024Mbps
Audio Input/Output	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out	1Ch. In/ 1Ch. Out
Decoding Capacity	Upto 32MP	Upto 32MP	Upto 32MP
Video Output	2 Port HDMI : 4k 2 Port VGA	4 Port HDMI : 4k/8K/2MP 2 Port VGA : 1080p	4 Port HDMI : 4k/8K/2MP 2 Port VGA : 1080p
POE Ports	-	-	-
SATA Interface	4 HDD up to 20TB	8 HDD up to 20TB	8 HDD up to 20TB
Network Interface	2 RJ45 1000M	2 RJ45 2500M	2 RJ45 2500M
Chassis	1.5U	2U	2U
Other Features	Smart H.265/H.265/Smart H.264/H.264/MJPEG, Wiz Sense	Supports Smart H.265+, H.265, Smart H.264+, Support Smart Tracking and Intelligent Video, Wiz Mind	Supports Smart H.265+, H.265, Smart H.264+, Support Smart Tracking and Intelligent Video, Wiz Mind

Tiandy

لیست قیمت (سنه بهار ۱۴۰۲)

تارتون دژ آریانا

نمایندگی مرکزی محصولات تیاندی

تمامی کالاها دارای ۳۶ ماه گارانتی معتربر

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۳۴۰۸۹۹




7



تیاندی (Tiandy)

- دارنده رتبه هفتم جهان
- اولین ارائه دهنده فناوری Starlight (دید در شب رنگی)
- پیشرو در ارائه خدمات و محصولات هوشمند



Tiandy

ویژگی های برنده تیاندی:

- انتقال تصویر آسان (P2P) بدون نیاز به IP استاتیک
- دارای 3 سال گارانتی شرکت پارس ارتباط
- دارای خط تولید در داخل کشور
- مورد تایید سازمان ها و ارگان های دولتی
- بهترین کیفیت با قیمت مناسب
- پشتیبانی از پروتکل ONVIF
- دید در شب رنگی با حداقل لوکس نوری (0.0008)



	1	2	3	4	5	6
Tiandy	TC-C32QN I3/E/Y/2.8mm/V5	TC-C32GN I5/E/Y/C/2.8mm	TC-C32GS I5/E/Y/C/SD/2.8mm	TC-C32WS I5/E/Y/M/4mm/V4.0	TC-C32WP I5/E/M/Y/4mm	TC-C32WP W/E/Y/4mm

Tiandy



Price (Rials)	۱۹,۹۰۰,۰۰۰	۲۷,۹۰۰,۰۰۰	۳۰,۰۰۰,۰۰۰	۶۹,۲۰۰,۰۰۰	۵۹,۷۰۰,۰۰۰	۴۲,۳۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)
Sensor Size	1/2.9"	1/2.8"	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	4mm	4mm	4mm
Viewing Angle	102.8°	99.7°	99.7°	85.1°	83.3°	83.3°
Night Vision Distance	IR 30 M	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M
Dynamic Range	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	N/A	N/A	N/A	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP67	IP67	IP67	IP66
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C32QN	TC-C32GN	TC-C32GS	TC-C32WS	TC-C32WP	TC-C32WP/W

	7	8	9	10	11	12
Tiandy	TC-C32WP W/E/Y/2.8mm	TC-C32XN I3/E/Y/2.8mm/V5	TC-C32HN I3/E/Y/C/2.8mm/V4.0	TC-C32HS I3/E/Y/C/SD/2.8mm	TC-C32XP W/E/Y/2.8mm/V4.0	TC-C34WS I5/E/Y/M/2.8mm

Tiandy



Price (Rials)	۴۲,۳۰۰,۰۰۰	۱۹,۹۰۰,۰۰۰	۲۷,۶۰۰,۰۰۰	۲۴,۶۵۰,۰۰۰	۴۸,۰۰۰,۰۰۰	۶۳,۰۰۰,۰۰۰
Camera Type	Bullet	Dome	Dome	Dome	Dome	Bullet
Max Resolution	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@25fps)	2MP(1920×1080@30fps)	2MP(1920×1080@25fps)	4MP(2560x1440@25fps)
Sensor Size	1/2.8"	1/2.8"	1/2.9"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm
Viewing Angle	99.7°	99.7°	97.4°	99.7°	99.7°	92.1°
Night Vision Distance	Warm Light 15~20M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 50 M
Dynamic Range	WDR 120db	DWDR	DWDR	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	Yes (Up to 512G)	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	Yes	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67	IP67	IP66	IP66	IP67	IP67
VCA	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C32WP/W	TC-C32XN	TC-C32HN	TC-C32HS	TC-C32XP	TC-C34WS

	13	14	15	16	17	18
Tiandy	TC-C34WS I5/E/Y/M/4mm	TC-C34GN I5/E/Y/C/2.8mm	TC-C34GS I5/E/Y/C/4mm/V4.0	TC-C34GS I5/E/Y/C/SD/2.8mm	TC-C34WP W/E/Y/M/4mm/V4.0	TC-C34LP I5/A/E/M/H/2.7-13.5mm

Tiandy



Price (Rials)	۶۳,۰۰۲,۰۰۰	۲۵,۸۵۰,۰۰۰	۲۸,۷۰۰,۰۰۰	۲۸,۷۰۰,۰۰۰	۶۴,۲۰۰,۰۰۰	۱۵۴,۰۰۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2560x1440@25fps)	4MP(2560x1440@25fps)	4MP(2592x1520@25fps)	4MP(2592x1520@30fps)
Sensor Size	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/1.8"
Lens	4mm	2.8mm	4mm	2.8mm	4mm	Motorized 2.7-13.5mm
Viewing Angle	76.7°	103.4°	88.2°	103.4°	78°	114°~497°
Night Vision Distance	IR 50 M	IR 50 M	IR 50 M	IR 50 M	Warm Light 15~20M	SuperStarlight/IR 80M
Dynamic Range	WDR 120db	DWDR	DWDR	DWDR	WDR 120db	WDR 140db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG
Protection	IP67	IP67	IP67	IP67	IP67	IP67,IK10
VCA	Tripwire, Perimeter	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification				
Click for Details	TC-C34WS	TC-C34GN	TC-C34GS	TC-C34GS	TC-C34WP	TC-C34LP

	19	20	21	22	23	24
Tiandy	TC-C34KS	TC-C34HN	TC-C34HS	TC-C34HS	TC-C34XP	TC-C35US
	I3/E/Y/2.8mm	I3/E/Y/C/2.8mm	I3/E/Y/C/2.8mm/V4.0	I3/E/Y/C/SD/2.8mm	W/E/Y/M/2.8mm/V4.0	I8/A/E/Y/M/2.8-12mm

Tiandy



Price (Rials)	۵۰,۹۵۰,۰۰۰	۳۵,۸۵۰,۰۰۰	۳۷,۲۸۰,۰۰۰	۳۹,۷۸۰,۰۰۰	۵۱,۹۸۰,۰۰۰	۹۰,۵۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Bullet
Max Resolution	4MP(2560x1440@25fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2560x1440@15fps)	4MP(2592x1520@25fps)	5MP(2592x1944@20fps)
Sensor Size	1/2.8"	1/2.7"	1/2.7"	1/2.7"	1/2.8"	1/2.8"
Lens	2.8mm	2.8mm	2.8mm	2.8mm	2.8mm	Motorized 2.8-12mm
Viewing Angle	92.1°	99.7°	103.4°	99.7°	93.8°	96.8°~32.7°
Night Vision Distance	IR 30 M	IR 30 M	IR 30 M	IR 30 M	Warm Light 15~20M	IR 80 M
Dynamic Range	WDR 120db	DWDR	WDR 120db	DWDR	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	No	No	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)
Reset Button	Yes	N/A	N/A	N/A	Yes	Yes
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Protection	IP67,IK10	IP66	IP66	IP66	IP67	IP67
VCA	Tripwire, Perimeter					
Click for Details	TC-C34KS	TC-C34HN	TC-C34HS	TC-C34HS	TC-C35MP	TC-C35US

	25	26	27	28
Tiandy	TC-C35KS I3/E/Y/M/H/2.8mm/ V4.0	TC-C35MS I3/A/E/Y/M/2.8-12mm	TC-C38WS I5/E/Y/M//4mm/V4.0	TC-C38KS I3/E/Y/2.8mm/V4.0



Tiandy

Price (Rials)	۱۰,۹۹۷,۰۰۰	۹۰,۵۰۰,۰۰۰	۹۰,۶۸۸,۰۰۰	۹۰,۷۰۰,۰۰۰
Camera Type	Dome	Dome	Bullet	Dome
Max Resolution	5MP(2592x1944@20fps)	5MP(2592x1944@20fps)	8MP(3840x2160@20fps)	8MP(3840x2160@20fps)
Sensor Size	1/2.8"	1/2.8"	1/2.8"	1/2.8"
Lens	2.8mm	Motorized 2.8-12mm	4mm	2.8mm
Viewing Angle	95.6°	96°~32.7°	86.6°	101.3°
Night Vision Distance	Starlight/IR 30M	Starlight/IR 30M	IR 50 M	IR 30 M
Dynamic Range	WDR 120db	WDR 120db	WDR 120db	WDR 120db
Built in Mic	Yes	Yes	Yes	Yes
SD Card Support	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 512G)	Yes (Up to 128G)
Reset Button	Yes	Yes	Yes	Yes
Video Compression	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264	S+265/H.265/H.264/M-JPEG	S+265/H.265/H.264/M-JPEG
Protection	IP67,IK10	IP67,IK10	IP67	IP67,IK10
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Parking, Crowded, People Counting, Crowded, On Duty Detection, Video Abnormal, Audio Abnormal, Heatmap, Face Capture(Face Detection), Safety Helmet Detection, Human/Vehicle Classification	Tripwire, Perimeter	Tripwire, Perimeter	Tripwire, Perimeter
Click for Details	TC-C35KS	TC-C35MS	TC-C38WS	TC-C38KS

Tiandy	TC-H324S
Spec:25X/I/E	



Tiandy

Price (Rials)	۳۰۰,۰۰۰,۰۰۰
Camera Type	PTZ
Max Resolution	2MP(1920×1080@25fps)
Sensor Size	1/2.8"
Lens	Varifocal4.8mm~120mm
Viewing Angle	58.5°~2.8°
Night Vision Distance	IR 150 M
Dynamic Range	WDR 140db
Built in Mic	No
SD Card Support	Yes (Up to 512G)
Reset Button	Yes
Video Compression	S+265/H.265/H.264/M-JPEG
Protection	IP66
VCA	Tripwire, Double Tripwire, Perimeter, Object Abandon, Object Lost, Loitering, Running, Video Abnormal, On-duty detection, Face Detection, Face Capture
Click for Details	TC-H324S

	30	31	32	33	34	35
Tiandy	TC-R3105 Spec: I/B/L	TC-R3105 Spec:I/B/V3.0	TC-R3110 Spec:I/B	TC-R3120 Spec:I/B	TC-R3120 Spec:I/B/V3.0	TC-R3220 Spec:I/B/K

Tiandy



Price (Rials)	۲۹,۹۹۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲۰	۵۴,۵۰۰,۰۰۰	۷۳,۱۵۰,۰۰۰	۸۱,۱۰۰,۰۰۰	۱۲۱,۹۰۰,۰۰۰
Video Input	5-ch	5-ch	10-ch	20-ch	20-ch	20-ch
Recording Resolution	6MP/5MP/4MP/3MP/1080P/ UXGA/720P/VGA/4CIF/ /720P/VGA/4CIF/DCIF/ 2CIF/CIF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/ 720P/VGA/4CIF/DCIF/2CIF/C IF/QCIF	5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1× 6MP, 1× 5MP, 1× 4MP, 1× 3MP, 4× 1080P, 5× 720P, 5× 4CIF	1× 5MP, 1× 4MP, 3× 1080P, 5× 720P, 5× 4CIF	1× 5MP, 1× 4MP, 3× 1080P, 5× 720P, 5× 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1-ch 4K/4-ch 1080P/8-ch 720P/16-ch 4CIF	1× 8MP, 1× 6MP, 1× 5MP, 2× 4MP, 2× 3MP, 4× 1080P, 8× 720P, 20× 4CIF
HDD	1 up to 8TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	1 up to 10TB	2 up to 10TB
Input Bandwidth	50Mbps	40Mbps	40Mbps	80Mbps	80Mbps	120Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	100Mbps
Network Interface	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M	1 RJ45 100M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	TC-R3105	TC-R3105	TC-R3110	TC-R3120	TC-R3120	TC-R3220

	36	37	38	39	40	41
Tiandy	TC-R3220 Spec:I/B/P16/K/V3.0	TC-R3240 Spec:I/B/N/H	TC-R3440 Spec:I/B/N/H/C	TC-R3440 Spec:I/B/P16/H	TC-R3840 Spec:I/B/N	TC-R3880 Spec:I/B/N

Tiandy



Price (Rials)	۲۴۹,۹۰۰,۰۰۰	۲۰,۰۰۰,۰۰۰	۲۱۹,۵۰۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲
Video Input	20-ch/16P	40-ch	40-ch	40-ch/16P	40-ch	80-ch
Recording Resolution	8MP/6MP/5MP/3MP/1080P/ UXGA/720P/VGA/4CIF/DCIF/ 2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCIF
Playback Capability	1x 8MP, 1x 6MP, 1x 5MP, 2x 4MP, 2x 3MP, 4x 1080P, 8x 720P	3x 12MP, 4x 8MP, 4x6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 32x 720P, 40x 4CIF	3x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 16x720P	3x 12MP, 4x 8MP, 4x 6MP, 5x 5MP, 8x 4MP, 9x 3MP, 16x 1080P, 16x 720P	2x12MP, 4x4K, 5x5MP, 8x4MP, 16x1080P, 16x720P	x12MP, 4x8MP, 4x6MP, 5x5MP, 8x4MP, 9x3MP, 16x1080P, 16x720P
HDD	2 up to 10TB	2 up to 10TB	4 up to 10TB	4 up to 10TB	8 up to 10TB	8 up to 10TB
Input Bandwidth	120Mbps	320Mbps	200Mbps	320Mbps	400Mbps	320Mbps
Output Bandwidth	100Mbps	320Mbps	200Mbps	320Mbps	200Mbps	320Mbps
Network Interface	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M	1 RJ45 1000M	2 RJ45 1000M	2 RJ45 1000M
Video Output	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	2 Port HDMI : 4K 2 Port VGA	2 Port HDMI : 4K 2 Port VGA
Video Compression	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264	S+265/H.265/H.264
Click for Details	TC-R3220 /16P	TC-R3240	TC-R3440	TC-R3440/16P	TC-R3840	TC-R3880

Tiandy	TC-R31680
	Spec:E/B/N

Tiandy



Price (Rials)	Call: +٩٦٠-٨٨٥٠٠٠٢٠
Video Input	80-ch
Recording Resolution	12MP/8MP/6MP/5MP/4MP/ 3MP/1080P/UXGA/720P/VGA /4CIF/DCIF/2CIF/CIF/QCI
Playback Capability	2x12MP, 4x4K, 5x5MP, 8x4MP, 16x1080P, 16x720P
HDD	16 up to 10TB
Input Bandwidth	400Mbps
Output Bandwidth	200Mbps
Network Interface	2 RJ45 1000M
Video Output	2 Port HDMI : 4K 2Port VGA
Video Compression	S+265/H.265/H.264
Click for Details	TC-R31680



لیست قیمت (سنه بها)
۱۴۰۲

تارتون دز آريانا

جهت اطلاع از تخفيف جشنواره هر محصول تماس بگيريد:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳-۳۲۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	THC-B110-M	THC-B120-P	THC-B120-PC	THC-B120-M	THC-B120-MS	THC-B120-MC
HiLook						
Price (Rials)	Call: +91-88800020 11,000,000	9,790,000	9,790,000	Call: +91-88800020 15,000,000	15,000,000	11,000,000
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	1 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8, 3.6, 6mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Plastic	Plastic	Metal	Metal	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	7	8	9	10	11	12
	THC-B123-M	THC-B140-P	THC-B140-M	THC-B150-M	THC-B220	THC-B220C
HiLook						
Price (Rials)	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°/85°/65°
IR Range	Up to 30m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal	Plastic	Metal	Metal	Metal & Plastic	Metal
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	Yes
WDR	Yes	No	No	No	No	DWDR
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

13

14

15

16

17

18

THC-B220-M**THC-B240****THC-B240-M****THC-T110-P****THC-T120****THC-T120-PC****HiLook**

Price (Rials)	Call: +91-888...2...	Call: +91-888...2...	Call: +91-888...2...	Call: +91-888...2...	8,180,000	Call: +91-888...2...
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	1 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/3.6/6mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°/85°/65°	105°	105°/85°/65°	105°/85°/65°	105°	105°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 20m (EXIR)
Body Type	Metal	Metal	Metal	Plastic	Metal & Plastic	Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	Yes	No	Yes	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS

	19	20	21	22	23	24
	THC-T120-PS	THC-T120-M	THC-T120-MS	THC-T123	THC-T123-P	THC-T140-P
HiLook						
Price (Rials)	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	13,460,-
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8/3.6/6mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°/85°/65°	105°	105°
IR Range	Up to 20m	Up to 20m (EXIR)	Up to 20m	Up to 30m (EXIR)	Up to 30m (EXIR)	Up to 20m (EXIR)
Body Type	Plastic	Metal	Metal	Metal	Plastic	Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	Yes	No
Other Features	Built in Mic, Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Built in Mic, Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS, 3D DNR	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	25	26	27	28	29	30
	THC-T140	THC-T140-M	THC-T220-P	THC-T220-PC	THC-T220-M	THC-T240-P
HiLook						
Price (Rials)	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000	Call: +91-88800020 14,990,000
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix	2.8mm Fix
Viewing Angle	105°	105°	105°	105°	105°	105°
IR Range	Up to 20m (EXIR)	Up to 20m (EXIR)	Up to 40m (EXIR)	Up to 40m	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal & Plastic	Metal	Plastic	Plastic	Metal	Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

	31	32	33	34	35	36
	THC-T240-M	THC-B320-VF	THC-B340-VF	THC-D320-VF	THC-D340-VF	THC-T320-VF
HiLook						
Price (Rials)	۱۶,۵۶۰,۰۰۰	۲۰,۲۸۰,۰۰۰	۲۷,۴۳۰,۰۰۰	۲۹,۹۱۰,۰۰۰	۲۸,۴۶۰,۰۰۰	۲۵,۲۸۰,۰۰۰
Camera Type	Dome	Bullet	Bullet	Dome	Dome	Dome
Resolution	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel
Lens	2.8mm Fix	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal	2.8 - 12mm Varifocal
Viewing Angle	105°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)	Up to 40m (EXIR)
Body Type	Metal	Metal & Plastic	Metal & Plastic	Metal	Metal	Metal & Plastic
IP Standard	IP66	IP66	IP66	IP66	IP66	IP66
OSD Menu	No	No	No	No	No	No
WDR	No	No	No	No	No	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

THC-T340-VF**HiLook**

Price (Rials)	۲۷,۴۳۰,۰۰۰
Camera Type	Dome
Resolution	4 Megapixel
Lens	2.8 - 12mm Varifocal
Viewing Angle	111.5°-33.4°
IR Range	Up to 40m (EXIR)
Body Type	Metal & Plastic
IP Standard	IP66
OSD Menu	No
WDR	No
Other Features	Smart IR, BLC, Switchable TVI/AHD/CVI/CVBS

38

39

PTZ-T4215I-D

PTZ-T4225I-D



HiLook

Price (Rials)	۱۱۰,۹۴۰,۰۰۰	۱۲۰,۲۱۰,۰۰۰
Camera Type	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel
Lens	5 - 75mm Varifocal	4.8 - 120mm Varifocal
Viewing Angle	15x	25x
IR Range	Up to 100m	Up to 100m
Body Type	-	-
IP Standard	IP66	IP66
OSD Menu	-	-
WDR	No	Yes
Other Features	3D DNR, Switchable TurboHD & CVBS Video Output	3D DNR, Switchable TurboHD & CVBS Video Output

40

41

42

43

44

45

DVR-104G-F1**DVR-108G-F1****DVR-116G-F1****DVR-204G-F1****DVR-208G-F1****DVR-216G-F1****Hilook**

Price (Rials)		Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	+91-88800020
DVR Type	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	45,040,000
Analog Video Input	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 2MP	16 Ch. HDTVI/Analog Up to 2MP	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 2MP	16Ch. HDTVI/Analog AHD Up to 2MP	
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	
SATA Interface	1 HDD up to 4TB	1 HDD up to 4TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Compression Standard	H.265+	H.265+	H.264+	H.264+	H.264+	H.264+	H.264+
Other Features	Smart search for efficient playback	Smart search for efficient playback	Max. 1200 m for 720p HDTVI signal transmission	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	Support multiple VCA both analog and smart IP cameras	

46

47

48

49

50

51

DVR-216G-K1**DVR-232G-K2****DVR-204Q-F1****DVR-204Q-K1****DVR-208Q-F1****DVR-208Q-K1**

Price (Rials)	۵۲,۷۸۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲	Call: +۹۱-۸۸۸۰۰۰۲
DVR Type	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS	4-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS
Analog Video Input	16 Ch. HDTVI/Analog Up to 3MP	32 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 3MP	4 Ch. HDTVI/Analog Up to 2MP	8 Ch. HDTVI/Analog Up to 3MP	8 Ch. HDTVI/Analog Up to 3MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
SATA Interface	1 HDD up to 6TB	2 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 6TB
Compression Standard	H.264+	H.265 Pro+	H.264+	H.265+	H.264+	H.265+
Other Features	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage

52

53

54

55

56

57

DVR-208Q-K2**DVR-216Q-F1****DVR-216Q-F2****DVR-216Q-K1****DVR-216Q-K2****DVR-232Q-K2**

Price (Rials)	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020	Call: +91-88800020
DVR Type	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	32-ch TVI/AHD/CVI/CVBS
Analog Video Input	8 Ch. HDTVI/Analog Up to 3MP	16 Ch. HDTVI/Analog Up to 3MP	16 Ch. HDTVI/Analog Up to 3MP	16Ch. HDTVI/Analog AHD Up to 5MP	16Ch. HDTVI/Analog AHD Up to 6MP	5 Ch. HDTVI/Analog Up to 4MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB			
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB
Compression Standard	H.265 Pro+	H.264+	H.264+	H.265+	H.265+	H.265 Pro+
Other Features	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Supports PTZ control via Omnicast VMS or Genetec protocol	Smart search for efficient playback Support the 3rd party cloud storage	Smart search for efficient playback Support the 3rd party cloud storage	Supports PTZ control via Omnicast VMS or Genetec protocol

58

59

60

61

62

63

DVR-204U-F1**DVR-204U-K1****DVR-208U-F1****DVR-208U-K1****DVR-216U-F2****DVR-216U-K2**

Price (Rials)	۴۲,۴۴۰,۰۰۰	۵۱,۸۷۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۲۰	Call: +۹۱-۸۸۵۰۰۲۰	۱۳۴,۰۹۰,۰۰۰	۱۳۴,۰۹۰,۰۰۰
DVR Type	4-ch TVI/AHD/CVI/CVB	4-ch TVI/AHD/CVI/CVB	8-ch TVI/AHD/CVI/CVBS	8-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS	16-ch TVI/AHD/CVI/CVBS
Analog Video Input	4 Ch. HDTVI/Analog Up to 5MP	4 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	8 Ch. HDTVI/Analog Up to 5MP	16Ch. HDTVI/Analog AHD Up to 5MP	16 Ch. HDTVI/Analog Up to 5MP
Video Output	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB	1 Port HDMI 1 Port VGA 1Ch. USB
SATA Interface	1 HDD up to 6TB	1 HDD up to 10TB	1 HDD up to 6TB	1 HDD up to 10TB	2 HDD up to 6TB	2 HDD up to 8TB
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.265+
Other Features	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras	Internet & Smart Phone compatible	Defogging function enabled for the supported analog cameras	Defogging function enabled for the supported analog cameras

HiLock

لیست قیمت (سنه بها)

تارتون دز آریانا

جهت اطلاع از تخفیف جشنواره هر محصول تماس بگیرید:

۰۲۱-۸۸۵۰۰۰۲۰

۰۹۹۳۰-۳۲۱۴۰۸۹۹



نمایندگی مرکزی محصولات هایلوک

	1	2	3	4	5	6
	IPC-B120	IPC-B120H	IPC-B121H	IPC-B121H-M	IPC-B140H	IPC-B140H-M
Hilook						
Price (Rials)	Call: +91-88800020	Call: +91-88800020	₹., ₹., ₹.	Call: +91-88800020	₹., ₹., ₹.	Call: +91-88800020
Camera Type	Bullet	Bullet	Bullet	Bullet	Bullet	Bullet
Resolution	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	4 Megapixel	4 Megapixel
Lens	2.8mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	105°	103°/86°/54°	112.1°	112.1°/90.2°	103°/86°/54°	98°/78.7°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m EXIR	Up to 30m IR	Up to 30m IR
Body Type	-	Metal & Plastic	Plastic	Plastic	Metal & Plastic	Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	No	No	Yes	DWDR	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	3D DNR, BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	7	8	9	10	11	12
	IPC-B150H	IPC-B220	IPC-B220-D	IPC-T120	IPC-T120-D	IPC-T220
HiLook						
Price (Rials)	۴۲,۹۵۰,۰۰۰	۲۶,۵۵۰,۰۰۰	۲۸,۳۵۰,۰۰۰	۲۸,۸۸۰,۰۰۰	۲۹,۸۵۰,۰۰۰	۲۹,۲۶۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	4mm Fix	4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix
Viewing Angle	98°/75.3°	86°	86°	103°/86°/54°	105°	103°/86°/54°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 10m IR	Up to 10m IR	Up to 30m IR
Body Type	Plastic	-	-	Plastic	-	Metal & Plastic
Standard	IP67	IP67	IP67	IP67	IP67	IP67
SD Card Support	No	No	No	No	No	No
WDR	Yes	DWDR	No	No	No	Yes
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	No	Yes	No	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264, 3D DNR, BLC	H.264, 3D DNR, BLC	Supports Hik-Connect , BLC, H.264+	3D DNR, H.264+	Supports Hik-Connect ,3D DNR, BLC, H.264+

	13	14	15	16	17	18
	IPC-T220-H	IPC-T221-H	IPC-T240H	IPC-D120	IPC-D120H	IPC-D121H
HiLook						
Price (Rials)	۲۹,۶۱۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲۰	۳۹,۸۰۰,۰۰۰	۴۰,۰۰۰,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲۰	۴۵,۸۰۰,۰۰۰
Camera Type	Dome	Dome	Dome	Dome	Dome	Dome
Resolution	2 Megapixel	2 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4/6mm Fix	2.8/4mm Fix	2.8/4/6mm Fix	2.8mm Fix	2.8/4/6mm Fix	2.8/4mm Fix
Viewing Angle	103°/86°/54°	105°/81°	103°/86°/54°	105°	103°/86°/54°	112.1°/90.2°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	-	Metal & Plastic	Metal & Plastic
Standard	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	No	No	No	No	No
WDR	No	DWDR	No	No	No	DWDR
Microphone Support	No	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	3D DNR BLC, H.264+	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	19	20	21	22	23	24
	IPC-D121H-M	IPC-D140H	IPC-D150H	IPC-B620H-V	IPC-B620H-Z	IPC-B621-V
HiLook						
Price (Rials)	Call: +91-88800020	₹8,190,000	₹6,210,000	₹4,030,000	₹6,950,000	₹2,270,000
Camera Type	Dome	Dome	Dome	Bullet	Bullet	Bullet
Resolution	2 Megapixel	4 Megapixel	5 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8/4mm Fix	2.8/4/6mm Fix	2.8/4mm Fix	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Varifocal
Viewing Angle	112.1°/90.2°	103°/86°/54°	98°/75.3°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic
Standard	IP67 & IK10	IP67 & IK10	IP67 & IK10	IP67	IP67	IP66
SD Card Support	No	No	No	Yes	Yes	Yes
WDR	DWDR	No	Yes	No	No	DWDR
Microphone Support	No	No	No	No	No	Yes
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

	25	26	27	28	29	30
	IPC-B621-Z	IPC-B640H-V	IPC-B640H-Z	IPC-T620-Z	IPC-D620H-V	IPC-D620H-Z
HiLook						
Price (Rials)	۵۹,۰۱۰,۰۰۰	Call: +۹۱-۸۸۸۰۰۰۲	۶۷,۲۷۰,۰۰۰	۶۱,۰۶۰,۰۰۰	۵۴,۰۳۰,۰۰۰	۶۶,۲۴۰,۰۰۰
Camera Type	Bullet	Bullet	Bullet	Dome	Dome	Dome
Resolution	2 Megapixel	4 Megapixel	4 Megapixel	2 Megapixel	2 Megapixel	2 Megapixel
Lens	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized	2.8-12mm Motorized	2.8-12mm Varifocal	2.8-12mm Motorized
Viewing Angle	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Body Type	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal & Plastic	Metal	-
Standard	IP66	IP67	IP67	IP67	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes	Yes	No	No	No
WDR	DWDR	Yes	Yes	Yes	No	No
Microphone Support	Yes	No	No	No	No	No
POE	Yes	Yes	Yes	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.264+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

31

32

IPC-D640H-V

IPC-D640H-Z




Price (Rials)	58,580,000	Call: +91-88800020
Camera Type	Dome	Dome
Resolution	4 Megapixel	4 Megapixel
Lens	2.8-12mm Varifocal	2.8-12mm Varifocal
Viewing Angle	111.5°-33.4°	111.5°-33.4°
IR Range	Up to 30m IR	Up to 30m IR
Body Type	Metal	Metal
Standard	IP67 & IK10	IP67 & IK10
SD Card Support	Yes	Yes
WDR	Yes	Yes
Microphone Support	No	No
POE	Yes	Yes
Other Features	H.265+, 3D DNR, BLC, Supports Hik-Connect	H.265+, 3D DNR, BLC, Supports Hik-Connect

33

34

35

PTZ-N4215-DE3**PTZ-N4215I-DE****PTZ-N4225I-DE**
HiLook

Price (Rials)	Call: +91-88800020	88,000,000	99,400,000
Camera Type	PTZ	PTZ	PTZ
Resolution	2 Megapixel	2 Megapixel	2 Megapixel
Lens	5-75mm Varifocal	5-75mm Varifocal	4.8-120mm Varifocal
Viewing Angle	15x	15x	25x
IR Range	-	Up to 100m IR	Up to 100m IR
Body Type	-	-	-
Standard	-	IP66	IP66
SD Card Support	Yes	Yes	Yes
WDR	Yes	Yes	Yes
Microphone Support	No	No	No
POE	Yes	Yes	Yes
Other Features	H.265+, 3D DNR, BLC,	H.265+, 3D DNR, BLC	H.265+, 3D DNR, BLC

	36	37	38	39	40	41
	NVR-104-B	NVR-108-B	NVR-108-B/8P	NVR-104H-D	NVR-108H-D	NVR-104MH-C
HiLook						
Price (Rials)	۲۱,۴۳۰,۰۰۰	۱۹,۹۲۰,۰۰۰	۲۰,۴۹۰,۰۰۰	۲۰,۳۳۰,۰۰۰	۲۸,۴۷۰,۰۰۰	۲۶,۷۷۰,۰۰۰
NVR Type	4-ch	8-ch	8-ch	4-ch	8-ch	4-ch
Input BandWidth	40Mbps	40Mbps	60Mbps	40Mbps	60Mbps	40Mbps
Output Bandwidth	40Mbps	40Mbps	40Mbps	60Mbps	60Mbps	80Mbps
Resolution Support	8 Megapixel	8 Megapixel	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 2MP 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	-	-	8 ch POE	-	-	-
Compression Standard	H.264+	H.264+	H.264+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB
Other Features	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple VCA, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	Supports multiple, Smart search, Smart playback	VCA detection alarm, Smart search, Smart playback

42	43	44	45	46	47
NVR-104MH-C/4P	NVR-104MH-D	NVR-104MH-D/4P	NVR-108MH-C	NVR-108M-C/8P	NVR-108MH-D

Hilook



Price (Rials)	Call: +91-88800020	₹5,150,-***	₹4,140,-***	₹2,170,-***	Call: +91-88800020	₹2,090,-***
NVR Type	4-ch	4-ch	4-ch	8-ch	8-ch	8-ch
Input BandWidth	40Mbps	40Mbps	40Mbps	80Mbps	80Mbps	60Mbps
Output Bandwidth	80Mbps	80Mbps	80Mbps	80Mbps	80Mbps	40Mbps
Resolution Support	8 Megapixel	4 Megapixel	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 1080P 1 Port VGA : 1080P
POE Ports	4 ch POE	-	4 ch POE	-	8 ch POE	-
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+	H.264+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB				
Other Features	VCA detection alarm, Smart search, Smart playback	Support multiple VCA (Video Content Analytics) events	VCA detection alarm, Smart search, Smart playback			

48

49

50

51

52

NVR-108MH-D/8P**NVR-116MH-C****NVR-208MH-C****NVR-216MH-C****NVR-216MH-C/16P****Hilook**

Price (Rials)	۴۷,۰۰,۰۰۰	۴۸,۶۴,۰۰۰	۴۲,۱۷,۰۰۰	Call: +۹۱-۸۸۵۰۰۰۲۰	Call: +۹۱-۸۸۵۰۰۰۲۰
NVR Type	8-ch	16-ch	8-ch	16-ch	16-ch
Input BandWidth	60Mbps	80Mbps	80Mbps	160Mbps	160Mbps
Output Bandwidth	60Mbps	160Mbps	80Mbps	80Mbps	80Mbps
Resolution Support	4 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel	8 Megapixel
Video Output	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP	1 Port HDMI : 4K 1 Port VGA : 2MP
POE Ports	8 ch POE	-	-	-	16 ch POE
Compression Standard	H.265+	H.265+	H.265+	H.265+	H.265+
SATA Interface	1 HDD up to 6TB	1 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB	2 HDD up to 6TB
Other Features	VCA detection alarm, Smart search, Smart playback				